

CURRICULUM VITAE

Prof. Antonio Scarano

PERSONAL INFORMATIONS

Prof. ANTONIO SCARANO



📍 *via dei Frentani n. 98/B -66100 Chieti, Italia*

☎ **39 328 624 4 642**

✉ *ascarano@unich.it*

Author ID: 7006374576

<http://orcid.org/0000-0003-1374-6146>

BIBLIOMETRIC PARAMETERS

305 papers indexed by Scopus,

8259 citations indexed by Scopus,

Most cited paper indexed by Scopus:

Scarano A, Piattelli M, Caputi S, Favero GA, Piattelli A. Bacterial adhesion on commercially pure titanium and zirconium oxide disks: an in vivo human study. J Periodontol. 2004 Feb;75(2):292-6. PubMed PMID: 15068118. (363 citations)

Total Impact Factor: 397.256

Mean Impact Factor: 1.821,6

Hirsh Index: 46

Single-author paper on IF indexed journal: 3

Papers as 1st author: 89

Papers as 2nd author: 65

Papers as last author: 26

Papers with international affiliation author: 39

Peer-Reviewed Publications (last 10 years): 140

Abstract on IF indexed journal: 196

Book chapters contribution: 22

Papers on peer-reviewed italian journals: 88

Abstracts on italian congress proceedings: 92

PERSONAL INFORMATIONS

Data di nascita 04/08/1966 | **Nazionalità:** Italiana

Luogo di nascita: San Giovanni Rotondo (FG)

EDUCATION AND QUALIFICATIONS

1) 1990/91 University “G. D’Annunzio” Chieti
Graduation in Dentistry Degree (vote: 110 cum laude and academic mention; Mean 107,3)

2) 1990/91 University “G. D’Annunzio” Chieti
Professional qualification diploma in dentistry in the second session of 1991.

3) 2003/2004 University “La Sapienza” Roma
Graduation in Medicine (vote: 110 cum laude Mean 108,35)

4) 2004 University “G. D’Annunzio” Chieti
Professional qualification diploma in medicine; vote: 257/270

5) 1992/94 Casa Sollievo della Sofferenza Hospital San Giovanni Rotondo
Biennial course of Bioethics applied to medicine

6) 1995/96 University Federico II Napoli
Diploma di Perfezionamento in IMMUNOCITOCHIMICA

7) 1999/2002 University “La Sapienza” Roma
**Diploma di Specializzazione in CHIRURGIA ODONTOSTOMATOLOGICA
70/70**

8) 2008/2009 University “TOR VERGATA” Roma
**Diploma Master Biennale di II livello in Medicina e Chirurgia Estetica
110 cum laude**

9) 2012-13 University “G. D’Annunzio” Chieti
Diploma di Perfezionamento in ODONTOIATRIA E PROTESI DENTARIA

10) 2013-14 University “G. D’Annunzio” Chieti
Diploma di Perfezionamento in MEDICINA LEGALE ODONTOSTOMATOLOGICA

11) 2014-15 University “G. D’Annunzio” Chieti
Diploma di Perfezionamento in PROTESI FISSA ED IMPLANTOPROTESI

12) 2015-16 University “G. D’Annunzio” Chieti
Diploma di Perfezionamento in ODONTOSTOMATOLOGIA DELLO SPORT

13) 2016-17 University “G. D’Annunzio” Chieti
Diploma di Perfezionamento in Ossigeno terapia

EMPLOYMENT AND ACADEMIC RANKS

1) In the academic years from 1991 to 1994, expertized assistant; chair of Dental Materials

- 2) In 1992-1993 he fulfilled the draft obligations, (vaccinator and medical emergency officer) at the Military Hospital of Bari
- 3) In the academic years from 1994 to 2002, expertized assistant; chair of Special Odontostomatological Pathology
- 4) In the academic years from 1994 to 2002 winner of a contract art 26 from the University of Chieti
- 5) From 1994 to 1995 Winner of the three-year scholarship of P.H.I. of Milan to conduct experimental studies on implant surfaces.
Compagnia P.H.I. Via Roma - 20028 San Vittore Olona (MI).
- 6) 1994 University "G. D'Annunzio" Chieti. Public award for 9 professional training grants for Specialists in biomedical technologies and their clinical applications reserved for Graduates in scientific disciplines (Winner)
- 7) 1996 University "G. D'Annunzio" Chieti. Public competition award for 6 professional training grants for Specialists in biomedical technologies and their clinical applications reserved for Graduates of Medicine or Dentistry (Winner)
- 8) 1997 Technician, Chair of Special Odontostomatological Pathology of the University of Chieti
- 9) 2002 University "G. D'Annunzio" Chieti. Researcher /Med 28
- 10) 2006 University "G. D'Annunzio" Chieti. Confirmed Researcher and Adjunct Professor /Med 28
- 11) 2011 Second-level professor abilitation at the University of Sassari. Called by the Faculty of Medicine of Chieti in October 2011, he takes up service in December 2011.
- 11) 2015 University "G. D'Annunzio" Confirmed Associate Professor /Med 28
- 12) 2014-2015 National abilitation as a 1st level Professor 06 / N1 (Med 50) Sciences Of Health Professions And Applied Medical Technologies.
- 13) 2018 University "G. D'Annunzio" Full Professor /Med 28

HONORS AND AWARDS

1) 1991

1st Prize thesis degree: "Premio di Laurea libreria Medico scientifica di Chieti come miglior laureato per l'anno accademico 1990/91" I Biomateriali nella rigenerazione ossea: aspetti clinici e istologici. Relatore Prof. Adriano Piattelli

2) 2003/04

1th prize award Medicine: "I tempi di riassorbimento dei biomateriali nelle procedure di chirurgia rigenerative Relatore Prof. Luciano Caramanico"

3) From 1994 al 1997

Winner of the three-year scholarship of P.H.I. of Milan to conduct experimental studies on implant surfaces. Compagnia P.H.I. Via Roma - 20028 San Vittore Olona (MI). Azienda P.H.I. Via Roma - 20028 San Vittore Olona (MI).

4) Best research work on YearBook Dentistry 1999

Piattelli A, Corigliano M, **Scarano A**, Costigliola G, Paolantonio M.

Immediate loading of titanium plasma-sprayed implants: an histologic analysis in monkeys. J Periodontol. 1998 Mar;69(3):321-7.

Best Practice & Research (The Year Book of Dentistry brings you abstracts of the articles that reported the year's breakthrough developments in dentistry, carefully selected from more than 500 journals worldwide.)

5) Best research work on YearBook Dentistry 1998

Piattelli A, Paolantonio M, Corigliano M, **Scarano A**.

Immediate loading of titanium plasma-sprayed screw-shaped implants in man: a clinical and histological report of two cases. J Periodontol. 1997 Jun;68(6):591-7.

Best Practice & Research Best research work on YearBook Dentistry 1998
(The Year Book of Dentistry brings you abstracts of the articles that reported the year's breakthrough developments in dentistry, carefully selected from more than 500 journals worldwide.)

6) Best poster session 1st prize

Iezzi G, Spoto G, Vrespa G, Imperatrice A.M, **Scarano A**.

Superfici implantari plasma-spray e machined: valutazioni biochimiche e istomorfometriche. Proceedings 9° Congresso Nazionale del " Collegio dei Docenti di Odontoiatria" SIOCMF. Roma 2002

7) Best poster session 2nd prize

Petrone G, Iezzi G, Vrespa G, **Scarano A**.

Rimaneggiamento dell'osso crestale: uno studio su mandibola di macaca fascicularis

Proceedings 9° Congresso Nazionale del " Collegio dei Docenti di Odontoiatria"

Best poster session 2nd prize

8) Best poster session 3rd prize

Orsini G, Iezzi G, **Scarano A**, Pecora G, Piattelli A.

Meccanismi di sostituzione del solfato di calcio da parte del tessuto osseo

Proceedings 9° Congresso Nazionale del " Collegio dei Docenti di Odontoiatria" SIOCMF. Roma 2002

9) Best poster session 3rd prize

M. Cancellieri, D. Di Iorio, **A. Scarano**

Valutazione dell'usura delle frese e della produzione di calore durante la preparazione del sito implantare.

Proceedings 14° Congresso Nazionale del " Collegio dei Docenti di Odontoiatria" SIOCMF. Roma 18-21 Aprile 2007

10) Best poster session 1st prize

Orsini G, Piattelli A, Pecora G, Piattelli M, Degidi M, Iezzi G, **Scarano A.**

Maxillary sinus augmentation with different biomaterials: a comparative histological and histomorphometric study in man.

19th Annual Scientific Meeting European Association for Osseointegration (EAO) San Francisco 18-20 March 2004 (abst. # 120)

11) **59th position**

Expertscape objectively ranks people and institutions by their expertise in more than 26,000 biomedical topics

Expertise in Dental Implants: HELP Worldwide Based on 9,376 articles since 2006

MEMBERSHIPS IN SCIENTIFIC SOCIETIES

2000 President AIME (Associazione Italiana di Medicina Estetica)- Dentistry

2010 SIMEO (Società Italiana Medicina Estetica in Odontoiatria) Academic representative

2009 Founding partner S.I.M.E.C.N.A.
Italian Society of Aesthetic Medicine Non Ablative Surgery

2017 Founding partner Academy Bone, Biomaterials & Beyond

2012/17 Active member Anthec Academy of non transfusional Hemo-Components

2020 President Anthec Academy of non transfusional Hemo-Components

2012/17 Active member IACOI INTERNATIONAL ACADEMY OF CERAMIC IMPLANTOLOGY

ADVISORY BOARDS

From 2006 Member of “DENTAL CADMOS” – Lecture Committee

2006 Member of “Minerva Stomatologica” – Lecture Committee

From 2006 to 2013 Member of “DENTAL CLINICS” Scientific Committee

From 2007 to 2011 Member of “ITALIAN ORAL SURGERY”, Elsevier-Masson - Lecture Committee

From 2011 to 2017 Editorial Board “The Scientific World Journal”

From 2011 to 2016 Editorial Board “Dentistry”

From 2010 to 2016 Editorial Board “J OF OSSEINTEGRATION”

From 2011 to 2017 Editorial Board della rivista “Titanium”

From 2017 Editorial Board “EC Orthopaedics ”

From 2019-2020 Guest Editor special issue of International Journal of Molecular Sciences
"Advanced Implant Surface Modification and Tissue Engineering"

From 2019-2020 Guest Editor special issue of Materials "Advance in Implantology, Bone Biomaterials and Regenerative Procedures"

RESEARCH PROJECTS

1) 2006 Comparison between two different ways of assessing the level of osseointegration of four types of implants in the rabbit femur

ORAL PLANT company Via Amman, 30, 33084 Cordenons PN

2) 2008 Carry Out An Experimental Evaluation Study On Rabbits Of Implants

Bego-Sedamos Bremen Germany: Histological and histomorphometrical evaluation of the bone-implant contact percentages of 3 different experimental implant surfaces in rabbit. Bego Implant Systems GmbH & Co. KG, Bremen, Germany

3) 2009 Clinical Evaluation Study Of Plants Coated With Anatase Nanos Surface Modified
THE DENTAL TECH s.r.l. Via G. Di Vittorio 10/12 20020- Misinto (MI)

4) 2011 Carry Out An Experimental Study On Rabbit

MICERIUM S.p.A. Based in Via Marconi, 83 - 16036 - Avegno (Ge) - Italy, V.A.T. CEE
IT01199870104 and Fiscal Code: 01199870104

5) 2013, Experimental Study On Mini Pig, University Of Bari

6) 2016 Implant Surface Covered With Collagen (Actigen®) Vs Standard Surface (Sla) On
Perimplant Bone Formation: Experimental Study On A Punch Model.

UBGEN Srl (VAT and Tax Code 04750480289) Viale del Lavoro 14, 35010 - Vigonza (PD)

7) 2017 "Sealing capability of different implant-abutment connections".

BIO Alfa (VAT and Tax Code 04750480289) based in 4 Hatnufa St. POB 3936
Kiryat Arye, Petach Tikva 4951022, Israel

RESEARCH PROJECTS- Animal studies

1994-1997

From 1994 to 1997 COORDINATOR AND MAIN EXECUTOR of a research project in collaboration between the Department of Odontostomatological Sciences of the G. D'Annunzio University and the PHI Company Via Roma - 20028 San Vittore Olona (MI). The research protocol of this project concerns the evaluation, in vivo, of the biological response induced by the different implant surfaces.

1997-2002

From 1997 to 2002 COORDINATE AND MAIN EXECUTOR of a research project in collaboration between the Department of Odontostomatological Sciences of the G.D'Annunzio University and the PHI Company Via Roma - 20028 San Vittore Olona (MI). The research protocol of this project concerns the evaluation, in vitro, the resistance to bacterial penetration of connessione implant / abutment.

2002

Influence of the surface of biomaterials in bone regeneration

RESEARCH PROJECT in compliance with Legislative Decree No. 116/92 in compliance with art. 3, art. 4 and art. 5

Duration 36 months

2005

2) Influence of the surface of biomaterials in bone regeneration

RESEARCH PROJECT in compliance with Legislative Decree No. 116/92 in compliance with art. 3, art. 4 and art. 5

Duration 36 months

2006

Comparison between two different ways of assessing the level of osseointegration of four types of implants in the rabbit femur on behalf of the ORAL PLANT company Via Amman, 30, 33084 Cordenons PN

RESEARCH PROJECT in compliance with Legislative Decree No. 116/92 in compliance with art. 3, art. 4 and art. 5

Duration 12 months

Bone substitutes in the healing of bone defects.

RESEARCH PROJECT in compliance with Legislative Decree No. 116/92 in compliance with art. 3, art. 4 and art. 5

Duration 36 months

2007

Histological and histomorphometrical evaluation of the bone-implant contact percentages of 3 different experimental implant surfaces in rabbit. Bego Implant Systems GmbH & Co. KG, Bremen, Germany **RESEARCH PROJECT in compliance with Legislative Decree No. 116/92 in compliance with art. 3, art. 4 and art. 5**

Duration 24 months

Evaluation of the biocompatibility of anatase- coated implants : an experimental study on the rabbit

RESEARCH PROJECT in compliance with Legislative Decree No. 116/92 in compliance with art. 3, art. 4 and art. 5

Duration 36 months

2008

Evaluation of the surface macrostructure of sandblasted vs smooth implants: an experimental study on the rabbit

RESEARCH PROJECT in compliance with Legislative Decree No. 116/92 in compliance with art. 3, art. 4 and art. 5

Duration 24 months

2010

A Bone augmentation with Bio-Oss, in a rabbit tibia model

RESEARCH PROJECT in compliance with Legislative Decree No. 116/92 in compliance with art. 3, art. 4 and art. 5 Project N ° 34 17/09/2007 Prot. N ° 29

Duration 24 months

2011

Rejuvenation of perioral soft tissues. **RESEARCH PROJECT in compliance with Legislative Decree No. 116/92 in compliance with art. 3, art. 4 and art. 5** **Duration 36 months**

2012

" Correction of imperfections of perioral soft tissues: tissue rejuvenation through high intensity pulsed light (ILP) ".

PROT. 06/2012 / CEISA / PROG / 31 of 13/02/2012 Duration 36 months

2013

Two SLA implant surfaces: evaluation of bone healing.

Authorization CEISA 11/2013 CEISA / COM of 8/2/13 Duration 6 months

2016

Influence Of Implant Surface Covered With Collagen (Actigen ®) Vs Standard Surface (Sla) On Perimplant Bone Formation: Experimental Study On A Punch Model.

Project approved by the Ministry of Health Aut. N ° 67/2017-PR of 20/1/2017 Duration 36 months

INTERNATIONAL RESEARCH PROJECTS- Animal studies

1996 Immediate loading implants study on macahi fascicularis
University of Buenos Aires Dir. Prof. Sarnachiaro

1997 Immediate loading of titanium plasma-sprayed implants: an histologic analysis in monkeys.
University of Buenos Aires Dir. Prof. Sarnachiaro

2000 Interimplant distance and crestal bone resorption: a histologic study in the canine mandible
Complutense University of Madrid Veterinary Faculty

2002 Peri-implant bone reactions around immediately loaded conical implants with different prosthetic suprastructures: histological and histomorphometrical study on minipigs.
Complutense University of Madrid Veterinary Faculty

PRINCIPAL INVESTIGATOR- RESEARCH FINANCED WITH 60%

1) PERSPECTIVE CLINICAL STUDY ON THE USE OF SHORT IMPLANTS 2007 TOTAL SCORE 21.6

2) USE OF SHORT IMPLANTS AS AN ALTERNATIVE TO THE 2008 BONE GRAFTS TOTAL SCORE 23.5

3) SHORT IMPLANTS IN THE POSTERIOR MANDIBULAR ATROPHIES. 2009 2009 Total SCORE 25.5

4) INLAY IN THE REAR MANDIBULAR ATROPHIES. 2010
2010 Total SCORE 26.5

5) SHORT IMPLANTS IN THE MAXILLARY ATROPHIES.
2011 Total SCORE 26

6) LIFT OF THE MAXILLARY BREAST WITH THE USE OF DIFFERENT BIOMATERIALS
2012 Total SCORE 26.5

7) Piezo surgery in maxillary osteotomies 2013 Total SCORE 24.5

8) The expansion of atrophic crests
2014 TOTAL: 4.6

9) Graphene oxide (GO) enriched bone substitute materials (BSBs): mechanical tests
2015 TOTAL: 46

10) Graphene oxide (GO) enriched bone substitute materials (BSBs): an animal study 2016
TOTAL: 46

11) Sealing capability of the implant-abutment junction under cyclic loading. A toluidine blue in vitro study of External Hexagon versus Cone Morse connections.
2017 TOTAL: 99 Maximum Score

PATENTS

1) In 1995 he created the "PRECISE-1" system; useful tool in the study and histological evaluation of the various materials used in dentistry and orthopedics.

2) In 1998 he created and patented the ultrasonic root planing system

Patent number: 5816808

Abstract: The invention relates to an instrument for periodontal treatment, consisting of a connection piece (4) and of a blade (1), wherein said blade (1) has an abrasive part exhibiting two sectors (10, 11) distributed along the blade, and each situated on opposite sides of a plane passing through the axis of the blade, these two sectors (10, 11) exhibiting different levels of abrasiveness such that when the instrument is introduced into the periodontal pocket during treatment, the more abrasive sector comes into contact with the root surface of the tooth, and the other, less abrasive, sector comes into contact with the mucosa, said instrument being adapted to be held by way of its connection piece (4) on a handpiece which confers a vibratory movement on it, allowing the two sectors (10, 11) to effect the detachment of the undesirable tartar.

Type: Grant

Filed: April 8, 1996

Issued: October 6, 1998

Assignee: Micro Mega International Manufactures S.A.

Inventors: Gianluca Gambarini, Paolo Trisi, Antonio Scarano, Jean-Marie Badoz

INTERNATIONAL PEER-REVIEWED PAPERS

1) Piattelli A, Scarano A, Antinori A, Trisi P

Odontogenic myxoma of the mandible. Report of a case and review of the literature

Acta Stomatol Belg 1994;91:101-110

2) Piattelli A, Scarano A, Di Alberti L, Piattelli M

Osteoma of the mandible. Report of a case

Acta Stomatol Belg 1995;92:13-16

3) Piattelli A, Scarano A, Piattelli M

Detection of alkaline and acid phosphatases around titanium implants: a light microscopical and histochemical study in rabbit

Biomaterials 1995;16:1333-1338

4) Piattelli A, Cosci F, Scarano A, Trisi P

Localized chronic suppurative bone infection as a sequel of peri-implantitis in a hydroxyapatite-coated dental implant

Biomaterials 1995;16:917-920

5) Piattelli A, Scarano A, Piattelli M

Calcifying odontogenic cyst associated with compound odontoma: a study on undemineralized material

Bull Group Int Rech Sci Stomatol et Odontol 1995;38:105-109

6) Piattelli A, Scarano A, Piattelli M

Abscess formation around the apex of a maxillary root form implant: clinical and microscopical aspects. A case report

J Periodontol 1995;66:899-903

7) G. Giuliana, P. Trisi, M. D'Arpa, A. Scarano

Cementum growth in impacted teeth

Acta Stomatol Belg 1995;92:7-11

8) Piattelli M, Scarano A, Piattelli A

Vertical ridge augmentation using a resorbable membrane: a case report

J Periodontol 1996;67:161-164

9) Piattelli A, Emanuelli M, Scarano A, Trisi P

A histological study of nonsubmerged titanium plasma-sprayed screw implants retrieved from a patient: a case report

Int J Periodont Rest Dent 1996;6:138-147

10) Piattelli A, Podda G, Scarano A

Histological evaluation of bone reactions to Al₂O₃ dental implants in man: a case report

Biomaterials 1996;17:711-714

11) Piattelli A, Scarano A, Russo P, Matarasso S

Evaluation of guided bone regeneration (GBR) in rabbit tibia using bioresorbable and nonresorbable membranes

Biomaterials 1996;17:791-796

12) Piattelli A, Scarano A, Piattelli M, Matarasso S

Cellular colonization and bone formation into e-PTFE membranes. A light microscopical and histochemical time course study in rabbit

J Periodontol 1996;67:720-725

13) Piattelli A, Scarano A, Piattelli M, Calabrese L

Direct bone formation on sandblasted titanium implants: an experimental study

Biomaterials 1996;17:1015-1018

14) Piattelli A, Scarano A, Corigliano M, Piattelli M

Comparison of bone regeneration with the use of mineralized and demineralized freeze-dried bone allografts: a histological and histochemical study in man

Biomaterials 1996;17:1127-1131

15) Piattelli A, Scarano A, Piattelli M

Microscopical aspects of failure in osseointegrated dental implants: a report of five cases

Biomaterials 1996;17:1235-1241

16) Piattelli A, Corigliano M, Scarano A

Microscopical observations of the osseous responses in early loaded human titanium implants: a report of two cases

Biomaterials 1996;17:1333-1337

17) Piattelli A, Scarano A, Corigliano M, Piattelli M

Effects of alkaline phosphatase on bone healing around plasma-sprayed titanium implants: a pilot study in rabbits

Biomaterials 1996;17:1443-1449

18) Piattelli A, Scarano A, Paolantonio M

Bone formation inside the material interstices of e-PTFE membranes: a light microscopical and histochemical study in man

Biomaterials 1996;17:1725-1731

19) Piattelli A, Scarano A, Mangano C

Clinical and histologic aspects of biphasic calcium phosphate ceramic (BCP) used in connection with implant placement

Biomaterials 1996;17:1767-1770

20) Piattelli A, Scarano A, Corigliano M, Piattelli M

Presence of multinucleated giant cells (MGCs) around machined, sandblasted, and plasma-sprayed titanium implants: a histologic and histochemical time course study in rabbit

Biomaterials 1996;17:2053-2058

21) Piattelli A, Scarano A, Vaia E, Matarasso S

Histologic evaluation of the peri-implant bone around plasma-sprayed non-submerged titanium implants retrieved from man: a report of two cases

Biomaterials 1996;17:2219-2224

22) Piattelli M, Scarano A, Piattelli A

Histologic evaluation of freeze-dried dura mater (FDDMA) used in guided bone regeneration (GBR): a time course study in man
Biomaterials 1996;17:2319-2323

23) Simion M, Scarano A, Gionso L, Piattelli A
Guided bone regeneration using resorbable and non-resorbable membranes: a comparative histological study in man
Int J Oral Maxillofac Implants 1996;11:735-742

24) Piattelli A, Di Bellucci A, Scarano A, Matarasso S
Juvenile hyaline fibromatosis of gingiva: a case report
J Periodontol 1996;67:451-453

25) Favia G, Di Alberti L, Scarano A, Piattelli A
Ameloblastic fibro-odontoma: Report of two cases
Oral Oncology, vol. 33, issue 6 (1997)

26) Favia G, Di Alberti L, Scarano A, Piattelli A
Squamous odontogenic tumour: report of two cases
Oral Oncol 1997;33:451-453

27) Piattelli A, Piattelli M, Scarano A
Simultaneous demonstration of alkaline and acid phosphatase activities in bone, at bone implant interface and at the epiphyseal growth plate in plastic embedded undemineralized tissue
Biomaterials 1997;18:545-549

28) Piattelli A, Scarano A, Quaranta M
High-precision, semi-automated, cost-effective system for producing thin sections of oral tissues containing dental implants
Biomaterials 1997;18:577-579

29) Piattelli A, Podda G, Scarano A
Clinical and histologic results in alveolar ridge enlargement using coralline calcium carbonate
Biomaterials 1997;18:623-627

30) Piattelli A, Franco M, Ferronato G, Santello MT, Martinetti R, Scarano A
Resorption of composite polymer-hydroxyapatite membranes: a time course study in rabbit
Biomaterials 1997;18:629-633

31) Piattelli A, Corigliano M, Scarano A, Quaranta M
Bone reactions to early occlusal loading of two-stage titanium plasma-sprayed implants: a pilot study in monkeys
Int J Periodont Rest Dent 1997;17:163-169

32) Piattelli A, Paolantonio M, Corigliano M, Scarano A
Immediate loading of titanium plasma-sprayed screw-shaped implants in man: a clinical and histological report of two cases
J Periodontol 1997;68:591-597

33) Piattelli A, Scarano A, Piattelli M, Bertolai R, Panzoni E

Histologic aspects of the bone and soft tissues surrounding three titanium non-submerged plasma-sprayed implants retrieved at autopsy: a case report
J Periodontol 1997;68:694-700

34)Simion M, Maglione M, Iamoni, **Scarano A**, Piattelli A, A. Salvato
Bacterial penetration through Resolut resorbable membranes in vitro: an histological and scanning electron microscopic study
Clin Oral Impl Res 1997;8:23-31

35)Piattelli A, **Scarano A**, Di Alberti L, Piattelli M
Histological and histochemical analyses of acid and alkaline phosphatases around hydroxyapatite-coated implants: a time course study in rabbit
Biomaterials 1997;18:1191-1194

36)Piattelli A, **Scarano A**, Paolantonio M
Immediately loaded screw implant removed for fracture after a 15-year loading period: histological and histochemical analysis
J Oral Implantol 1997;23:75-79

37) Piattelli A **Scarano A** Piattelli M
Histochemical evaluation of alkaline phosphatase in compound odontoma: a study of plastic embedded undemineralized material.
Bulletin du Groupement international pour la recherche scientifique en stomatologie & odontologie, vol. 40, issue 2-3 (1998)

38)Piattelli A, Di Alberti L, **Scarano A**, Piattelli M
Benign cementoblastoma associated with an unerupted third molar: report of a case
Oral Oncol 1998;34: 229-231

39)Piattelli A, **Scarano A**, Balleri P, G.A Favero
Clinical and histological evaluation of an active "Implant periapical lesion". A case report
Int J Oral Maxillofac Implants 1998;13:713-716

40)Piattelli A, **Scarano A**, Piattelli M
Histochemical evaluation of alkaline phosphatase in compound odontoma: a study of plastic embedded undemineralized tissue
Bull Group Int Rech Sci Stomatol et Odontol 1998;40:98-101

41) Mangano C, **Scarano A**, Piattelli M, Piattelli A, Martinetti R..
In vivo histological evaluation of HA/N-carboxymethylchitosan fillers
Bioceramics 1998;11:375-8

42)Piattelli A, Degidi M, Marchetti C, **Scarano A**
Histologic analysis of the interface of a titanium implant retrieved from a non vascularized mandible block graft after a 10 month loading period
Int J Oral Maxillofac Implants 1998;12:840-843

43)Piattelli A, **Scarano A**, Paolantonio M
Clinical and histological features of a non-axial load on the osseointegration of a posterior mandibular implant. Report of a case
Int J Oral Maxillofac Implants 1998;13: 273-275.

- 44) Piattelli A, Scarano A, Coraggio F, Matarasso S
Early tissue reactions to polylactic acid resorbable membranes: a histological and histochemical study in rabbit
Biomaterials 1998;19:889-896
- 45) Piattelli A, Piattelli M, Mangano C, Scarano A
A histologic evaluation of eight cases of failed dental implants: is bone overheating the most probable cause?
J Biomaterials 1998;19: 683-690
- 46) Piattelli A, Scarano A, Piattelli M
Histologic observations on 230 retrieved dental implants: a 8 years experience (1989-1996)
J Periodontol 1998;69:178-184
- 47) Simion M, Jovanovic S, Trisi P, Scarano A, Piattelli A
Vertical ridge augmentation around dental implants using a membrane technique and bone auto or allografts in humans
Int J Periodont Rest Dent 1998;18:8-23
- 48) Piattelli A, Scarano A, Piattelli M, Vaia E, Matarasso S
Hollow implants retrieved for fracture: a light and scanning electron microscope analysis of 4 cases
J Periodontol 1998;69:185-189
- 49) Piattelli A, Scarano A, Piattelli M, Podda G
"Implant periapical lesion". Clinical, histologic and histochemical aspects. A case report
Int J Periodont Rest Dent 1998;713-716
- 50) Piattelli A, Scarano A, Dalla Nora A, De Bona G, Favero GA
Microscopical features in retrieved human Branemark implants: a report of 19 cases
Biomaterials 1998;19:643-649
- 51) Piattelli A, Scarano A, Piattelli M
Microscopical and histochemical evaluation of demineralized freeze-dried bone allograft in association with implant placement
Int J Periodont Rest Dent 1998;4:355_361
- 52) Piattelli A, Corigliano M, Scarano A, Costigliola G, Paolantonio M
Immediate loading of titanium plasma-sprayed implants: a pilot study in monkeys
J Periodontol 1998;69:321-327
- 53) Paolantonio M, Di Placido G, Scarano A, Piattelli A
Molar root furcation. Morphometric and morphologic analysis
Int J Periodont Rest Dent 1998;18:489-501
- 54) Malchiodi L, Scarano A, Quaranta M, Piattelli A
Rigid fixation by means of titanium mesh in edentulous ridge expansion (ERE) for horizontal ridge augmentation in the maxilla
Int J Oral Maxillofac Implants 1998;13:701-705
- 55) Piattelli A, Manzon L, Scarano A, Paolantonio M, Piattelli M

Histologic and morphologic analysis of the bone response to machined and sandblasted titanium implants: an experimental study in rabbit

Int J Oral Maxillofac Implants 1998;13:805-810

56) Piattelli A, Piattelli M, Scarano A, Montesani L

Light and scanning electron microscopic study of 4 fractured implants.

Int J Oral Maxillofac Implants 1998;13:561-564

57) Mangano C., Scarano A., Piattelli A., Martinetti R. **In vivo histological evaluation of HA/Carboxymethylchitosan fillers**

Bioceramics 1998;11:375-378

58) Szmukler-Mnclle S., Perrin D., Piattelli A., Scarano A.

Evaluation of a soluble calcium phosphate coating obtained by electrochemical deposition: A pilot study in the pig maxillae.

Biol Mech Tooth Eruption, Replacement by Implants 1998:1-10

59) Piattelli M, Favero GA, Scarano A, Orsini G, Piattelli A

Bone reactions to anorganic bovine bone (Bio-Oss) used in sinus augmentation procedures: a histologic long-term report of 20 cases in humans.

Int J Oral Maxillofac Implants 1999;14:835-840

60) Passi P Girardello G Piattelli A Scarano A

Synthetic bone grafts in peri-implant bone dehiscences: histological results in humans.

General dentistry, vol. 47, issue 3 (1999)

61) Chierico A, Valentini R, Majzoub Z, Piattelli A, Scarano A, Okun L, Cordioli G

Electrically charged GTAM membranes stimulate osteogenesis in rabbit calvarial defects.

Clin Oral Implants Res 1999;10:415-24

62) Piattelli A, Scarano A, Di Alberti L, Piattelli M

Bone-hydroxyapatite interface in retrieved hydroxyapatite-coated titanium implants: a clinical and histologic report.

Int J Oral Maxillofac Implants 1999;14:233-8

63) Piattelli A, Scarano A, Piattelli M, Vaia E, Matarasso S

A microscopical evaluation of 24 retrieved failed hollow implants.

Biomaterials 1999;20:485-489

64) Passi P, Girardello G, Piattelli A, Scarano A

Synthetic bone grafts in peri-implant bone dehiscences: histological results in humans.

Gen Dent 1999;47:290-295

65) Orsini G, Fanali S, Scarano A, Petrone G, di Silvestro S, Piattelli A

Tissue reactions, fluids, and bacterial infiltration in implants retrieved at autopsy: a case report.

Int J Oral Maxillofac Implants 2000;15:283-286

66) Cerrai P, Guerra CD, Tricoli M, Krajewski A, Ravaglioli A, Martinetti R, Dolcini L, Fini M, Scarano A, Piattelli A

Periodontal membranes from composites of hydroxyapatite and bioresorbable block copolymers

J Mater Sci: Mater Med 1999;10:677-682

67) Cornelini R, **Scarano A**, Covani U, Petrone G, Piattelli A
Immediate one-stage post-extraction implant. A clinical and histologic case report in man

Int J Oral Maxillofac Implants 2000;15:432-437

68) **Scarano A**, Di Domizio P, Petrone G, Iezzi G, Piattelli A
Implant periapical lesion: a clinical and histologic case report

J Oral Implantol 2000;26:109-113

69) Cordioli G, Majzoub Z, Piattelli A, **Scarano A**
Removal torque and histomorphometric investigation of 4 different titanium surfaces: an experimental study in the rabbit tibia.

Int J Oral Maxillofac Implants 2000;15:668-74

70) Orsini G, Assenza B, **Scarano A**, Piattelli M, Piattelli A
Surface analysis of machined versus sandblasted and acid-etched titanium implants.

Int J Oral Maxillofac Implants 2000;15:779-84

71) Piattelli A, **Scarano A**, Piattelli M, Coraggio F, Matarasso S.
Bone regeneration using bioglass: an experimental study in rabbit tibia

J Oral Implant 2000;26:257:261

72) **Scarano A**, Iezzi G, Petrone G, Marinho C, Corigliano M, Piattelli A.
Immediate postextraction implants: a histologic and histometric analysis in monkeys.

J Oral Implantol 2000;26:163-169

73) Di Carlo F, Prosper L, Ripari F, **Scarano A**.
Bone response to zirconia ceramic implants: an experimental study in rabbit.

Key Engineering Materials, vol. 192-195 (2001)

74) Paolantonio M, **Scarano A**, Di Placido G, Tumini V, D'Archivio D, Piattelli A.
Periodontal healing in humans using anorganic bovine bone and bovine peritoneum-derived collagen membrane: a clinical and histologic case report.

Int J Periodontics Restorative Dent. 2001;21:505-15.

75) Testori T, Szmukler-Moncler S, Francetti L, Del Fabbro M, **Scarano A**, Piattelli A, Weinstein RL.

Immediate loading of osseointegrated implants: a case report and histologic analysis after 4 months of occlusal loading.

Int J Periodontics Restorative Dent. 2001;21:451-9.

76) Piattelli A, **Scarano A**, Paolantonio M, Assenza B, Leghissa GC, Di Bonaventura G, Catamo G, Piccolomini R

Fluids and microbial penetration in the internal part of cement-retained versus screw-retained implant-abutment connections.

J Periodontol. 2001;72:1146-50

77) Assenza B, Piattelli M, **Scarano A**, Iezzi G, Petrone G, Piattelli A.

Localized ridge augmentation using titanium micromesh

J Oral Implantol 2000;26:163-169

78) Piattelli A, Scarano A, Piattelli M, Coraggio F, Matarasso S.

Bone regeneration using bioglass: an experimental study in rabbit tibia

J Oral Implant 2000;26:257-261

79) Paolantonio M, Dolci M, Scarano A, d'Archivio D, di Placido G, Tumini V, Piattelli A.

Immediate implantation in fresh extraction sockets. A controlled clinical and histological study in man.

J Periodontol. 2001;72:1560-71.

80) Scarano A, Annibali S, Pippi R, Artese L, Piattelli A.

ZEBRA XXV. Part 1. Cemento-ossifying fibroma.

J Endod. 2002;28:411-2

81) Perfetti G, Artese L, Scarano A, Tete S, Piattelli A.

Zebra XXIV, part 2.

J Endod. 2002 Apr;28(4):340-1.

82) Scarano A, Annibali S, Pippi R, Artese L, Piattelli A.

Zebra XXV, part 2. Cemento-ossifying fibroma.

J Endod. 2002;28:482-4

83) Scarano A, Annibali S, Pippi R, Artese L, Piattelli A.

ZEBRA XXV. Part 1. Cemento-ossifying fibroma.

J Endod. 2002;28:411-2

84) Piattelli M, Scarano A, Paolantonio M, Iezzi G, Petrone G, Piattelli A.

Bone response to machined and resorbable blast material titanium implant: and experimental study in rabbits.

J Oral Implantol 2002;2:1-8

85) Marchetti C, Degidi M, Scarano A, Piattelli A

Vertical distraction osteogenesis of fibula free flap in mandibular prosthetic rehabilitation: report of a case

Int J Periodontics Restorative Dent 2002;22:251-257

86) Strocchi R, Orsini G, Iezzi G, Scarano A, Rubini C, Pecora G, Piattelli A.

Bone regeneration with calcium sulfate: evidence for increased angiogenesis in rabbits.

J Oral Implantol. 2002;28:273-8.

87) Ripari M, Scarano A, Dolci G, Maggiore C, Ripari F, Piattelli A.

Machined and Sandblasted acid-etched implants positioned in rabbit knee.

J Dental University (U & U) 2002;2:23-31

88) Scarano A, Di Carlo F, Quaranta M, Piattelli A.

Bone response to zirconia ceramic implants: an experimental study in rabbits.

J Oral Implantol. 2003;29:8-12.

- 89) Assenza B, **Scarano A**, Petrone G, Iezzi G, Thams U, San Roman F, Piattelli A.
Osteoclast activity around loaded and unloaded implants: a histological study in the beagle dog.
J Oral Implantol. 2003;29:1-7.
- 90) Piattelli A, Degidi M, Paolantonio M, Mangano C, **Scarano A**.
Residual aluminum oxide on the surface of titanium implants has no effect on osseointegration.
Biomaterials. 2003;24:4081-9
- 91) Degidi M, **Scarano A**, Piattelli A
Regeneration of the alveolar crest using titanium micromesh with autologous bone and a resorbable membrane.
J Oral Implantol. 2003;29:86-90
- 92) **Scarano A**, Piattelli M, Vrespa G, Caputi S, Piattelli A.
Bacterial adhesion on titanium nitride-coated and uncoated implants: an in vivo human study.
J Oral Implantol. 2003;29:80-5
- 93) Piattelli A, **Scarano A**, Favero L, Iezzi G, Petrone G, Favero GA.
Clinical and histologic aspects of dental implants removed due to mobility.
J Periodontol. 2003;74:385-90
- 94) Piattelli A, Vrespa G, Petrone G, Iezzi G, Annibali S, **Scarano A**.
Role of the microgap between implant and abutment: a retrospective histologic evaluation in monkeys.
J Periodontol. 2003;74:346-52
- 95) Di Carmine M, Toto P, Feliciani C, **Scarano A**, Tulli A, Strocchi R, Piattelli A
Spreading of epithelial cells on machined and sandblasted titanium surfaces: an in vitro study.
J Periodontol. 2003;74:289-95
- 96) **Scarano A**, Iezzi G, Petrone G, Orsini G, Degidi M, Strocchi R, Piattelli A.
Cortical bone regeneration with a synthetic cell-binding peptide: a histologic and histomorphometric pilot study.
Implant Dent. 2003;12:318-24.
- 97) Degidi M, **Scarano A**, Iezzi G, Piattelli A.
Periimplant bone in immediately loaded titanium implants: histologic and histomorphometric evaluation in human. A report of two cases.
Clin Implant Dent Relat Res. 2003;5(3):170-5.
- 98) **Scarano A**, Manzon L, Di Giorgio R, Orsini G, Tripodi D, Piattelli A.
Direct capping with four different materials in humans: histological analysis of odontoblast activity.
J Endod. 2003 Nov;29:729-34.
- 99) **Scarano A**, Piattelli M, Vrespa G, Petrone G, Iezzi G, Piattelli A.

Bone healing around titanium and titanium nitride-coated dental implants with three surfaces: an experimental study in rats.

Clin Implant Dent Relat Res. 2003;5:103-11.

100) Degidi M, **Scarano A**, Petrone G, Piattelli A.

Histologic analysis of clinically retrieved immediately loaded titanium implants: a report of 11 cases.

Clin Implant Dent Relat Res. 2003;5(2):89-93.

101) Orsini G, Ricci J, **Scarano A**, Pecora G, Petrone G, Iezzi G, Piattelli A.

Bone-defect healing with calcium-sulfate particles and cement: an experimental study in rabbit.

J Biomed Mater Res B Appl Biomater. 2004 Feb 15;68:199-208.

102) **Scarano A**, Piattelli M, Caputi S, Favero GA, Piattelli A.

Bacterial adhesion on commercially pure titanium and zirconium oxide disks: an in vivo human study.

J Periodontol. 2004;75:292-6.

103) **Scarano A**, Pecora A, Piattelli M, Piattelli A.

Osseointegration in a Sinus Augmented With Bovine Porous Bone Mineral: Histological Results in an Implant Retrieved 4 Years After Insertion. A Case Report

J Periodontol 2004;75:1159-1164.

104) **Scarano A**, Assenza B, Piattelli M, Thams U, San Roman F, Favero GA, Piattelli A.

Interimplant distance and crestal bone resorption: a histologic study in the canine mandible.

Clin Implant Dent Relat Res. 2004;6:150-6.

105) Degidi M, Piattelli M, **Scarano A**, Iezzi G, Piattelli A.

Maxillary sinus augmentation with a synthetic cell-binding peptide: histological and histomorphometrical results in humans.

J Oral Implantol. 2004;30:376-83.

106) Degidi M, **Scarano A**, Piattelli M, Piattelli A.

Histologic evaluation of an immediately loaded titanium implant retrieved from a human after 6 months in function.

J Oral Implantol. 2004;30:289-96.

107) Orsini G, Traini T, **Scarano A**, Degidi M, Perrotti V, Piccirilli M, Piattelli A.

Maxillary sinus augmentation with Bio-Oss(R) particles: A light, scanning, and transmission electron microscopy study in man.

J Biomed Mater Res B Appl Biomater. 2005;74:448-57.

108) Trubiani O, Di Primio R, Traini T, Pizzicannella J, **Scarano A**, Piattelli A, Caputi S.

Morphological and cytofluorimetric analysis of adult mesenchymal stem cells expanded ex vivo from periodontal ligament.

Int J Immunopathol Pharmacol. 2005;18:213-21.

109) Degidi M, **Scarano A**, Piattelli M, Perrotti V, Piattelli A.

Bone remodeling in immediately loaded and unloaded titanium dental implants: a histologic and histomorphometric study in humans.

J Oral Implantol. 2005;31:18-24.

110) Scarano A, Artese L, Annibali S, Piccolomini M, Piattelli A.

Bilateral diffuse gingival enlargement in a patient with type 1 neurofibromatosis.

J Otolaryngol. 2005;34:282-5.

111) Imbronito AV, Scarano A, Orsini G, Piattelli A, Arana-Chavez VE.

Ultrastructure of bone healing in defects grafted with a copolymer of polylactic/polyglycolic acids.

J Biomed Mater Res A. 2005;74:215-21.

112) Degidi M, Scarano A, Iezzi G, Piattelli A.

Histologic analysis of an immediately loaded implant retrieved after 2 months.

J Oral Implantol. 2005;31:247-54.

113) Assenza B, Scarano A, Leghissa G, Carusi G, Thams U, Roman FS, Piattelli A.

Screw- vs cement-implant-retained restorations: an experimental study in the Beagle. Part 1. Screw and abutment loosening.

J Oral Implantol. 2005;31:242-6.

114) Iezzi G, Degidi M, Scarano A, Perrotti V, Piattelli A.

Bone response to submerged, unloaded implants inserted in poor bone sites: a histological and histomorphometrical study of 8 titanium implants retrieved from man.

J Oral Implantol. 2005;31:225-33.<

115) Cornelini R, Scarano A, Piattelli M, Andreana S, Covani U, Quaranta A, Piattelli A.

Effect of enamel matrix derivative (Emdogain) on bone defects in rabbit tibias.

J Oral Implantol. 2004;30:69-73

116) Degidi M, Scarano A, Iezzi G, Piattelli A.

Histologic and histomorphometric analysis of an immediately loaded implant retrieved from man after 14 months of loading.

J Long Term Eff Med Implants. 2005;15:489-98.

117) Degidi M, Artese L, Scarano A, Perrotti V, Gehrke P, Piattelli A.

Inflammatory infiltrate, microvessel density, nitric oxide synthase expression, vascular endothelial growth factor expression, and proliferative activity in peri-implant soft tissues around titanium and zirconium oxide healing caps.

J Periodontol. 2006;77:73-80.

118) Scarano A, Assenza B, Piattelli M, Iezzi G, Leghissa GC, Quaranta A, Tortora P, Piattelli A.

A 16-year study of the microgap between 272 human titanium implants and their abutments.

J Oral Implantol. 2005;31:269-75

119) Degidi M, Scarano A, Iezzi G, Orsini G, Perrotti V, Strocchi R, Piattelli A.

Maxillary sinus augmentation using a synthetic cell-binding peptide: a histologic and transmission electron microscopy case study in man.

Implant Dent. 2005;14:371-5

- 120) Assenza B, **Scarano A**, Leghissa G, Carusi G, Thams U, Roman FS, Piattelli A.
Screw- vs cement-implant-retained restorations: an experimental study in the Beagle. Part 1. Screw and abutment loosening.
J Oral Implantol. 2005;31:242-6.
- 121) B. Assenza, L. Artese, A. **Scarano**, C. Rubini, V. Perrotti, M. Piattelli, U. Tams, F. San Roman, M. Piccirilli, A. Piattelli.
Screw vs cement-implant-retained restorations: an experimental study in the beagle. part 2. immunohistochemical evaluation of the peri-implant tissues.
J Oral Implantol. 2006;31:1-7
- 122) Malchiodi L, Quaranta A, D'Addona A, **Scarano A**, Quaranta M.
Jaw reconstruction with grafted autologous bone: early insertion of osseointegrated implants and early prosthetic loading.
J Oral Maxillofac Surg. 2006;64:1190-8.
- 123) Mangano C, **Scarano A**, Iezzi G, Orsini G, Perrotti V, Mangano F, Montini S, Piccirilli M, Piattelli A.
Maxillary sinus augmentation using an engineered porous hydroxyapatite: a clinical, histological, and transmission electron microscopy study in man.
J Oral Implantol. 2006;32:122-31.
- 124) **Scarano A**, Degidi M, Iezzi G, Pecora G, Piattelli M, Orsini G, Caputi S, Perrotti V, Mangano C, Piattelli A.
Maxillary sinus augmentation with different biomaterials: a comparative histologic and histomorphometric study in man.
Implant Dent. 2006;15:197-207.
- 125) Orsini G, **Scarano A**, Piattelli M, Piccirilli M, Caputi S, Piattelli A
Histologic and Ultrastructural Analysis of Regenerated Bone in Maxillary Sinus Augmentation Using a Porcine Bone-Derived Biomaterial
J Periodontol. 2006;12: 1984-1990.
- 126) Di Stefano D, Iezzi G, **Scarano A**, Perrotti V, Piattelli A.
Immediately loaded blade implant retrieved from a after a 20-year loading period: a histologic and histomorphometric case report.
J Oral Implantol. 2006;32:171-6.
- 127) Iezzi G, Pecora G, **Scarano A**, Perrotti V, Piattelli A.
Histologic evaluation of 3 retrieved immediately loaded implants after a 4-month period.
Implant Dent. 2006;15:305-12.
- 128) **Scarano A**, Degidi M, Iezzi G, Petrone G, Piattelli A.
Correlation Between Implant Stability Quotient and Bone-Implant Contact: A Retrospective Histological and Histomorphometrical Study of Seven Titanium Implants Retrieved from Humans.
Clinical Implant Dentistry and Related Research, 2006;8:218-22.
- 129) Sollazzo V, Palmieri A, Pezzetti F, **Scarano A**, Martinelli M, Scapoli L, Massari L, Brunelli G, Caramelli E, Carinci F.

Genetic effect of anatase on osteoblast-like cells.

J Biomed Mater Res B Appl Biomater. 2008 Apr;85(1):29-36.

130) Sollazzo V, Pezzetti F, **Scarano A**, Piattelli A, Massari L, Brunelli G, Carinci F.

Anatase Coating Improves Implant Osseointegration In Vivo.

J Craniofac Surg. 2007;18:806-810.

131) Sollazzo V, Pezzetti F, **Scarano A**, Piattelli A, Bignozzi CA, Massari L, Brunelli G, Carinci F.

Zirconium oxide coating improves implant osseointegration in vivo.

Dent Mater. 2008;24:357-61.

132) Palmieri A, Pezzetti F, Brunelli G, Scapoli L, Muzio LL, **Scarano A**, Martinelli M, Carinci F.

Calcium sulfate acts on the miRNA of MG63E osteoblast-like cells.

J Biomed Mater Res B Appl Biomater. 2008;84:369-74.

133) **Scarano A**, Di Carlo F, Quaranta A, Piattelli A.

Injury of the inferior alveolar nerve after overfilling of the root canal with endodontic cement: a case report.

Oral Surg Oral Med Oral Pathol Oral Radiol Endod. 2007;104:56-9.

134) Palmieri A, Brunelli G, Guerzoni L, Lo Muzio L, **Scarano A**, Rubini C, Scapoli L, Martinelli M, Pezzetti F, Carinci F.

Comparison between titanium and anatase miRNAs regulation.

Nanomedicine. 2007;3:138-43.

135) Orsini G, Piattelli M, **Scarano A**, Petrone G, Kenealy J, Piattelli A, Caputi S.

Randomized, controlled histologic and histomorphometric evaluation of implants with nanometer-scale calcium phosphate added to the dual acid-etched surface in the human posterior maxilla.

J Periodontol. 2007;78:209-18.

136) Iezzi G, Fiera E, **Scarano A**, Pecora G, Piattelli A.

Histologic evaluation of a provisional implant retrieved from man 7 months after placement in a sinus augmented with calcium sulphate: a case report.

J Oral Implantol. 2007;33:89-95.

137) **Scarano A**, Orsini G, Pecora G, Iezzi G, Perrotti V, Piattelli A.

Peri-implant bone regeneration with calcium sulfate: a light and transmission electron microscopy case report.

Implant Dent. 2007;16:195-203.

138) Orsini G, **Scarano A**, Degidi M, Caputi S, Iezzi G, Piattelli A.

Histological and ultrastructural evaluation of bone around Bio-Oss particles in sinus augmentation.

Oral Dis. 2007;13:586-93.

139) **Scarano A**, Quaranta M, Traini T, Piattelli M, Piattelli A.

SEM and fractography analysis of screw thread loosening in dental implants.

Int J Immunopathol Pharmacol. 2007;20:19-22

140) Iezzi G, Degidi M, **Scarano A**, Petrone G, Piattelli A.

Anorganic bone matrix retrieved 14 years after a sinus augmentation procedure: a histologic and histomorphometric evaluation.

J Periodontol. 2007;78:2057-61

141) Degidi M, Iezzi G, Scarano A, Piattelli A.

Immediately loaded titanium implant with a tissue-stabilizing/maintaining design ('beyond platform switch') retrieved from man after 4 weeks: a histological and histomorphometrical evaluation. A case report.

Clin Oral Implants Res. 2008;19:276-82

142) Iezzi G, Scarano A, Mangano C, Cirotti B, Piattelli A.

Histologic results from a human implant retrieved due to fracture 5 years after insertion in a sinus augmented with anorganic bovine bone.

J Periodontol. 2008;79:192-8.

143) Palmieri A, Pezzetti F, Brunelli G, Muzio LL, Scarano A, Scapoli L, Martinelli M, Arlotti M, Guerzoni L, Rubini C, Carinci F.

Short-period Effects of Zirconia and Titanium on Osteoblast MicroRNAs.

Clin Implant Dent Relat Res. 2008;10 :200-5.

144) Di Iorio D, Murmura G, Orsini G, Scarano A, Caputi S.

Effect of margin design on the fracture resistance of Procera all ceram cores: an in vitro study.

J Contemp Dent Pract. 2008;1;9:1-8

145) Mangano C, Scarano A, Perrotti V, Iezzi G, Piattelli A.

Maxillary sinus augmentation with a porous synthetic hydroxyapatite and bovine-derived hydroxyapatite: a comparative clinical and histologic study.

Int J Oral Maxillofac Implants. 2007;22:980-6.

146) Scarano A, Carinci F, Quaranta A, Di Iorio D, Assenza B, Piattelli A.

Effects of bur wear during implant site preparation: an in vitro study.

Int J Immunopathol Pharmacol. 2007;20:23-6.

147) Scarano A, Carinci F, Quaranta A, Iezzi G, Piattelli M, Piattelli A.

Correlation between implant stability quotient (ISQ) with clinical and histological aspects of dental implants removed for mobility.

Int J Immunopathol Pharmacol. 2007;20:33-6

148) D'Attilio M, Scarano A, Quaranta A, Festa F, Caputi S, Piattelli A.

Modification of condyle anatomy following a monolateral bite rise: a histological study in rat.

Int J Immunopathol Pharmacol. 2007;20:43-7

149) Scarano A, Carinci F, Mangano C, Quaranta A, Piattelli A.

Removal torque values of titanium implants inserted into bone defects filled with hydroxyapatite: a histologic and histomorphometric analysis in rabbit.

Int J Immunopathol Pharmacol. 2007;20:49-53

150) Trubiani O, Scarano A, Orsini G, Di Iorio D, D'Arcangelo C, Piccirilli M, Sigismondo M, Caputi S.

The performance of human periodontal ligament mesenchymal stem cells on xenogenic biomaterials.

Int J Immunopathol Pharmacol. 2007;20:87-91

151) Palmieri A, Pezzetti F, Brunelli G, Martinelli M, Lo Muzio L, **Scarano A**, Degidi M, Piattelli A, Carinci F.

Peptide-15 changes miRNA expression in osteoblast-like cells.

Implant Dent. 2008;17:100-8

152) Palmieri A, Pezzetti F, Brunelli G, Arlotti M, Lo Muzio L, **Scarano A**, Rubini C, Sollazzo V, Massari L, Carinci F.

Anatase nanosurface regulates microRNAs.

J Craniofac Surg. 2008;19:328-33.

153) Mangano C, Perrotti V, Iezzi G, **Scarano A**, Mangano F, Piattelli A.

Bone response to modified titanium surface implants in nonhuman primates (*Papio ursinus*) and humans: histological evaluation.

J Oral Implantol. 2008;34:17-24

154) Palmieri A, Pezzetti F, Spinelli G, Arlotti M, Avantaggiato A, **Scarano A**, Scapoli L, Zollino I, Carinci F.

PerioGlas((R)) Regulates Osteoblast RNA Interfering.

J Prosthodont. 2008 Oct;17(7):522-6. doi: 10.1111/j.1532-849X.2008.00331.x.

155) Palmieri A, Pezzetti F, Avantaggiato A, Lo Muzio L, **Scarano A**, Rubini C, Guerzoni L, Arlotti M, Ventorre D, Carinci F.

Titanium acts on osteoblast translational process.

J Oral Implantol. 2008;34:190-5.

156) Quaranta A, Piattelli A, **Scarano A**, Quaranta M, Pompa G, Iezzi G.

Light-microscopic evaluation of the dimensions of peri-implant mucosa around immediately loaded and submerged titanium implants in monkeys.

J Periodontol. 2008;79:1697-703.

157) **Scarano A**, Iezzi G, Artese L, Cimorelli E, Piattelli A.

Peripheral giant cell granuloma associated with a dental implant. A case report.

Minerva Stomatol. 2008;57:529-34.

158) Malchiodi L, **Scarano A**, Corrocher G, Trevisiol L, Quaranta A, Gerosa R.

Experimental study of a new surgical technique for anatomic remodeling of atrophic socket in maxillary postextraction single implant.

Minerva Stomatol. 2008;57:519-28.

159) **Scarano A**, Barros RR, Iezzi G, Piattelli A, Novaes AB. **Acellular dermal matrix graft for gingival augmentation: a preliminary clinical, histologic, and ultrastructural evaluation.** J Periodontol. 2009;80:253-9.

160) Tetè S, Mastrangelo F, Bianchi A, Zizzari V, Scarano A.

Collagen fiber orientation around machined titanium and zirconia dental implant necks: an animal study.

Int J Oral Maxillofac Implants. 2009;24:52-8.

161) Scarano A, Carinci F, Cimorelli E, Quaranta M, Piattelli A. **Application of calcium sulfate in surgical-orthodontic treatment of impacted teeth: a new procedure to control hemostasis.**

J Oral Maxillofac Surg. 2009; 68:964-8.

162) Scarano A, Carinci F, Piattelli A.

Lip augmentation with a new filler (agarose gel): a 3-year follow-up study.

Oral Surg Oral Med Oral Pathol Oral Radiol Endod. 2009;108:11-5

163) Felice F., Scarano A, Pistilli R, Checchi L, Piattelli M, Pellegrino G, Esposito M.

A comparison of two techniques to augment maxillary sinuses using the lateral window approach: rigid synthetic resorbable barriers versus anorganic bovine bone. Five-month post-loading clinical and histological results of a pilot randomised controlled clinical trial

Eur J Oral Implantol 2009;2:293-306.

164) Scarano A, Piattelli M, Carinci F, Perotti V.

Removal, after 7 years, of an implant displaced into the maxillary sinus. A clinical and histologic case report.

Journal Of Osseointegration 2009;1:1-6

165) Scarano A, Piattelli A, Pecora G, Petrizzi L, Valbonetti L, Varasano V, Iezzi G.

A Histomorphometric Comparison of Anorganic Bovine Bone (ABB) and Calcium Sulphate (CaS) Used in Sinus Augmentation Procedures: A Study in Sheep.

Titanium The International Journal Of Dental Implants & Biomaterials 2009:1:1-10

166) Felice P, Checchi V, Pistilli R, Scarano A, Pellegrino G, Esposito M.

Bone augmentation versus 5-mm dental implants in posterior atrophic jaws. Four-month post-loading results from a randomised controlled clinical trial.

Eur J Oral Implantol 2009;2:20-25

167) Assenza B, Scarano A, Perrotti V, Vozza I, Quaranta A, Quaranta M, Piattelli A, Iezzi G.

Peri-implant bone reactions around immediately loaded conical implants with different prosthetic suprastructures: histological and histomorphometrical study on minipigs.

Clin Oral Investig. 2010;14:285-90

168) Quaranta A, Iezzi G, Scarano A, Coelho P. G, Vozza I, Marincola M., Piattelli A.

A Histomorphometric Study of Nanothickness and Plasma-Sprayed Calcium-Phosphorous Based Coated Implant Surfaces in Rabbit Bone

J Periodontol. 2010;80:253-9.

169) Palmieri A, Pezzetti F, Brunelli G, Martinelli M, Lo Muzio L, Scarano A, Scapoli L, Arlotti M, Guerzoni L, Carinci F.

Anorganic Bovine Bone (Bio-Oss) Regulates miRNA of Osteoblast-like Cells.

Int J Periodontics Restorative Dent 2010;30:83-87

- 170) Sbordone L, Traini T, Caputi S, **Scarano A**, Bortolaia C, Piattelli A **Scanning electron microscopy fractography analysis of fractured hollow implants.**
J Oral Implantol. 2010;36:105-11.
- 171) **Scarano A**, Piattelli A, Polimeni A, Di Iorio D, Carinci . **Bacterial adhesion on commercially pure titanium and anatase-coated titanium healing screws: an in vivo human study.**
J Periodontol. 2010;81:1466-71.
- 172) **Scarano A**, Piattelli A, Assenza B, Quaranta A, Perrotti V, Piattelli M, Iezzi G. **Porcine bone used in sinus augmentation procedures: a 5-year retrospective clinical evaluation.**
J Oral Maxillofac Surg. 2010;68:1869-73.
- 173) **Scarano A**, Perrotti V, Carinci F, Shibli JA. **Removal of a migrated dental implant from the maxillary sinus after 7 years: a case report.**
Oral Maxillofac Surg. 2011;15:239-43.
- 174) Borges FL, Dias RO, Piattelli A, Onuma T, Gouveia Cardoso LA, Salomão M, **Scarano A**, Ayub E, Shibli JA. **Simultaneous sinus membrane elevation and dental implant placement without bone graft: a 6-month follow-up study.**
J Periodontol. 2011;82:403-12.
- 175) **Scarano A**, Carinci F, Assenza B, Piattelli M, Murmura G, Piattelli A. **Vertical ridge augmentation of atrophic posterior mandible using an inlay technique with a xenograft without miniscrews and miniplates: case series.**
Clin Oral Implants Res. 2011;22:1125-30.
- 176) Iezzi G, Aprile G, Tripodi D, **Scarano A**, Piattelli A, Perrotti V. **Implant surface topographies analyzed using fractal dimension.**
Implant Dent. 2011;20:131-8.
- 177) Annibali S, Cristalli MP, La Monaca G, Bignozzi I, **Scarano A**, Corrado R, Lo Muzio L. **Human Maxillary Sinuses Augmented With Mineralized, Solvent-Dehydrated Bone Allograft: A Longitudinal Case Series.**
Implant Dent. 2011;20:445-54.
- 178) D'Ercole S, **Scarano A**, Perrotti V, Mulatinho J, Piattelli A, Iezzi G, Tripodi D **Implants with external hexagon and conical implant-abutment connections: an in vitro study of the bacterial contamination.**
J Oral Implantol. 2014;40(1):30-6. doi: 10.1563/AAID-JOI-D-11-00121. Dec 30.
- 179) **A. Scarano**, A. Piattelli, B. Assenza, V. Sollazzo, A. Lucchese and F. Carinci. **Assessment of pain associated with insertion torque of dental implants. A prospective, randomized-controlled study.**
I J of Immunopathology and Pharmacology 2011;24:65-70 (Supplement 1)
- 180) **A. Scarano**, G. Murmura, B. Sinjiari, B. Assenza, V. Sollazzo, G. Spinelli and F. Carinci. **Expansion of the alveolar bone crest with ultrasonic surgery device: clinical study in mandible**
I J of Immunopathology and Pharmacology 2011;24:71-76 (Supplement 1)
- 181) **A. Scarano**, G. Murmura, B. Sinjiari, V. Sollazzo, G. Spinelli and F. Carinci.

Analysis and structural examination of screw loosening in oral implants

I J of Immunopathology and Pharmacology 2011;24:77-82 (Supplement 1)

182) A. Scarano, B. Sinjari, L. Artese, S. Fanali and F. Carinci.

Mandible brown tumor caused by primary hyperparathyroidism

European Journal of Inflammation 2011;19:101-4

183) M. D'Attilio, D. Rodolfo, C. Chimenti, A. Scarano, F. Festa, S. Fanali and F. Carinci.

Posture-stabilometric valuation in Rugby players after mandibular repositioning

European Journal of Inflammation 2011;19:105-110

184) M. D'Attilio, D. Rodolfo, B. Sinjari, S. Caputi, R. Gerxhani, A. Scarano, F. Festa, S. Fanali and F. Carinci.

Posturostabilometric evaluation of plantar variations in patients with temporo-mandibular dysfunction: A case-control study

European Journal of Inflammation 2011;19:111-116

185) A. Scarano, C. Mancino, G. Murmura, S. Frisone, S. Fanali and f. Carinci.

Maxillary sinus membrane perforation from nasal suction technique and ultrasonic approach vs. conventional rotative instruments.

European Journal of Inflammation 2011;19:117-120

186) G. Brunelli, F. Carinci, M. Danza, A. Scarano, I. Zollino, C. Brugnati and R. Monguzzi.

Evaluation of a new nanocoating on implant osseointegration: a histological study in man

European Journal of Inflammation 2011; 9:45-50

187) G. Brunelli, F. Carinci, M. Danza, A. Scarano, V. Solazzo, C. Brugnati and R. Monguzzi.

Evaluation of a new nanocoating on implant osseointegration: a study on spiral fixtures inserted in new Zealand white rabbits

European Journal of Inflammation 2011; 9:51-56

189) G. Brunelli, F. Carinci, A. Piattelli, A. Avantaggiato, V. Sollazzo, A. Scarano and R.

Monguzzi. Clinical outcome of Bacterline® coated implants: preliminary report

European Journal of Inflammation 2011; 9:57-60

190) G. Brunelli, F. Carinci, F. Grecchi, A. Avantaggiato, A. Piattelli, A. Scarano and R.

Monguzzi. Bacterline® coated implants inserted in maxilla grafted with bone from living donor: a case report

European Journal of Inflammation 2011; 9:61-67

191) A. Scarano, F. Carinci, B. Sinjari, L. Artese, G. Fippi, G. Brunelli and R. Monguzzi.

Skin lesions induced from the radiosurgical unit and voltaic arc dermoabrasion: a rabbit model.

European Journal of Inflammation 2011; 9:89-94

192) B. Assenza, F. Carinci, A. Di Cristinzi, B. Sinjari, G. Murmura, A. Scarano.

An cosmetic technique called lip repositioning in patient of excessive gingival display.

European Journal of Inflammation 2011; 9:115-120

193) A. Scarano, C. Cappucci, C. Mancino, G. Iezzi, B. Sinjiari, G. Brunelli and F. Carinci.

Comparison of conventional drills and ultrasonic osteotomy for dental implant site preparation: a histological analysis in bovine ribs.

European Journal of Inflammation 2011; 9:85-90.

194) **Scarano A**, Piattelli A, Assenza B, Carinci F, Donato LD, Romani GL, Merla A.
Infrared Thermographic Evaluation of Temperature Modifications Induced during Implant Site Preparation with Cylindrical versus Conical Drills.

Clin Implant Dent Relat Res. 2011;13:319-23.

195) **Scarano A**, Piattelli A, Perrotti V, Manzon L, Iezzi G.**Maxillary Sinus Augmentation in Humans Using Cortical Porcine Bone: A Histological and Histomorphometrical Evaluation After 4 and 6 Months.**

Clin Implant Dent Relat Res. 2011;13:13-8.

196) **A. Scarano**, B. Palmieri, A. Da Cristinzi, F. Carinci and A. Lucchese.
Evaluation of pulsed light for hair removal: clinical study in mice

European Journal of Inflammation (SUPPLEMENT 3) 2012;1:11-16

197) **A. Scarano**, G.L. Bertuzzi, B. Brandimarte, F. Carinci and A. Lucchese.
Treatment of xanthelasma palpebrarum with voltaic arc Dermoabrasion

European Journal of Inflammation (SUPPLEMENT 3) 2012;1:17-22

198) **A. Scarano**, B. Palmieri, G.L. Bertuzzi, A. Di Cristinzi, F. Carinci, D. Lauritano.
Perioral rejuvenation and lip augmentation with hyaluronic acid

European Journal of Inflammation (SUPPLEMENT 2) 2012;1:13-18

199) **A. Scarano**, G. Murmura, F. Carinci, D. Lauritano.
Immediately loaded small-diameter dental implants:evaluation of retention, stability and comfort for the edentulous patient.

European Journal of Inflammation (SUPPLEMENT 2) 2012;1:19-24

200) **A. Scarano**, D. D'Andria, G. Fippi, F. Di Carlo, F. Carinci, D. Lauritano.
Treatment of perioral rhytides with voltaic arc Dermoabrasion.

European Journal of Inflammation (SUPPLEMENT 2) 2012;1:19-24

201) **A. Scarano**, G. Iezzi, A. Di Cristinzi, G.L. Bertuzzi, F. Carinci, D. Lauritano.
Full-facial rejuvenation with autologous platelet-derived growth factors.

European Journal of Inflammation (SUPPLEMENT 2) 2012;1:31-36

202) **A. Scarano**, G. Murmura, L. Artese, F. Carinci, D. Lauritano.
Schwannoma of the posterior tongue in a thirteen-year old child.

European Journal of Inflammation (SUPPLEMENT 2) 2012;1:43-48

203) **A. Scarano**, B. Sinjari, D. Di Iorio, G. Murmura, F. Carinci, D. Lauritano.
Surface analysis of failed oral titanium implants after irradiated with ErCR:YSGG 2780 laser.

European Journal of Inflammation (SUPPLEMENT 2) 2012;1: 49-54

204) **A. Scarano**, A. Quaranta, B. Feragalli, A. Di Cristinzi, F. Carinci, D. Lauritano. **Haemostasis control in dental extractions with calcium sulphate: a case series**

European Journal of Inflammation (SUPPLEMENT 2) 2012;1:59-64

205) G. Brunelli, F. Carinci, I. Zollino, V. Candotto, **A. Scarano**, D. Lauritano.

Peri-Implantitis: A case report and literature Review

European Journal of Inflammation (SUPPLEMENT 2) 2012;1:1-6

206) G. Brunelli, F. Carinci, I. Zollino, V. Candotto, **A. Scarano**, D. Lauritano.

SEM evaluation of 10 infected implants retrieved from man.

European Journal of Inflammation (SUPPLEMENT 2) 2012;1:7-12

207) Degidi M, Artese L, Piattelli A, **Scarano A**, Shibli JA, Piccirilli M, Perrotti V, Iezzi G.
Histological and immunohistochemical evaluation of the peri-implant soft tissues around machined and acid-etched titanium healing abutments: a prospective randomised study. Clin Oral Investig. 2012;16:857-66.

208) **Scarano A**, Degidi M, Perrotti V, Piattelli A, Iezzi G. **Sinus augmentation with phycogene hydroxyapatite: histological and histomorphometrical results after 6 months in humans. A case series.** Oral Maxillofac Surg. 2012;16:41-5.

209) **Scarano A**, Artese L, Piattelli A, Carinci F, Mancino C, Iezzi G. **Hemostasis control in endodontic surgery: a comparative study of calcium sulfate versus gauzes and versus ferric sulfate.** J Endod. 2012;38:20-3.

210) Tripodi D, Vantaggiato G, **Scarano A**, Perrotti V, Piattelli A, Iezzi G, D'ercole S.
An In Vitro Investigation Concerning the Bacterial Leakage at Implants With Internal Hexagon and Morse Taper Implant-Abutment Connections. Implant Dent. 2012;21:335-339.

211) Aleo E, Varvara G, **Scarano A**, Sinjari B, Murmura G. **Comparison of the primary stabilities of conical and cylindrical endosseous dental implants: an in-vitro study.** J Biol Regul Homeost Agents. 2012;26:89-96.

212) Degidi M, Piattelli A, **Scarano A**, Shibli JA, Iezzi G. **Peri-implant collagen fibers around human cone Morse connection implants under polarized light: a report of three cases.** Int J Periodontics Restorative Dent. 2012;32:323-8.

213) Iezzi G, Degidi M, Piattelli A, Mangano C, **Scarano A**, Shibli JA, Perrotti V.
Comparative histological results of different biomaterials used in sinus augmentation procedures: a human study at 6 months. Clin Oral Implants Res. 2012;23:1369-76

214) Assenza B, Tripodi D, **Scarano A**, Perrotti V, Piattelli A, Iezzi G, D'Ercole S.
Bacterial leakage in implants with different implant-abutment connections: an in vitro study. J Periodontol. 2012;83:491-7.

215) Carinci F, Grecchi E, Bignozzi CA, Murmura G, Piattelli A, **Scarano A**.
Bactercline(®)-coated implants: Clinical results up to 1 year after loading from a controlled clinical trial. Dent Res J (Isfahan). 2012;9(Suppl 2):S142-6

216) Varvara G, Pinchi V, Caputi S, D'Arcangelo C, **Scarano A**, Sinjari B, Murmura G.
Copper-zinc superoxide dismutase activity in dental pulp after dental preparation. J Biol Regul Homeost Agents. 2012 Oct-Dec;26(4):769-73.

217) **Scarano A**, Murmura G, Di Cerbo A, Palmieri B, Pinchi V, Mavriqi L, Varvara G.
Anti-hemorrhagic agents in oral and dental practice: an update.

Int J Immunopathol Pharmacol. 2013;26:847-54.

218) Sinjari B, Murmura G, Caputi S, Ricci L, Varvara G, **Scarano A.**
Use of Oral Chroma™ in the assessment of volatile sulfur compounds in patients with fixed prostheses.

Int J Immunopathol Pharmacol. 2013 Jul-Sep;26(3):691-7.

219) Iezzi G, **Scarano A**, Di Stefano D, Arosio P, Doi K, Ricci L, Piattelli A, Perrotti V.
Correlation between the Bone Density Recorded by a Computerized Implant Motor and by a Histomorphometric Analysis: A Preliminary In Vitro Study on Bovine Ribs.

Clin Implant Dent Relat Res. 2013 Jul 24. doi: 10.1111/cid.12121. [Epub ahead of print]

220) **Scarano A**, Perrotti V, Artese L, Degidi M, Degidi D, Piattelli A, Iezzi G.
Blood vessels are concentrated within the implant surface concavities: a histologic study in rabbit tibia.

Odontology. 2014 Jul;102(2):259-66. doi: 10.1007/s10266-013-0116-3.

221) Traini T, Piattelli A, Caputi S, Degidi M, Mangano C, **Scarano A**, Perrotti V, Iezzi G.
Regeneration of Human Bone Using Different Bone Substitute Biomaterials.

Clin Implant Dent Relat Res. 2015 Feb;17(1):150-62. doi: 10.1111/cid.12089.

222) Felice P, Lizio G, Marchetti C, Checchi L, **Scarano A.**
Magnesium-substituted hydroxyapatite grafting using the vertical inlay technique.

Int J Periodontics Restorative Dent. 2013 May-Jun;33(3):355-63. doi: 10.11607/prd.0893.

223) Traini T, Murmura G, Piattelli M, **Scarano A**, Pettinicchio M, Sinjari B, Caputi S.
Effect of nanoscale topography of titanium implants on bone vessel network, osteocytes, and mineral densities.

J Periodontol. 2013;84:40-7

224) **Scarano A**, Degidi M, Perrotti V, Degidi D, Piattelli A, Iezzi G.
Experimental Evaluation in Rabbits of the Effects of Thread Concavities in Bone Formation with Different Titanium Implant Surfaces.

Clin Implant Dent Relat Res. 2014 Aug;16(4):572-81. doi: 10.1111/cid.12033

225) Tetè S, Zizzari VL, Borelli B, DE Colli M, Zara S, Sorrentino R, **Scarano A**, Gherlone E, Cataldi A, Zarone F.

Proliferation and adhesion capability of human gingival fibroblasts onto zirconia, lithium disilicate and feldspathic veneering ceramic in vitro.

Dent Mater J. 2014;33:7-15.

226) **Scarano A**, Iezzi G, Perrotti V, Tetè S, Staiti G, Mortellaro C, Cappucci C.
Ultrasonic versus drills implant site preparation: a histologic analysis in bovine ribs.

J Craniofac Surg. 2014;25:814-7

227) Mangano C, Piattelli A, **Scarano A**, Raspanti M, Shibli JA, Mangano FG, Perrotti V, Iezzi G.
A light and scanning electron microscopy study of human direct laser metal forming dental implants.

Int J Periodontics Restorative Dent. 2014 Jan-Feb;34(1):e9-17. doi: 10.11607/prd.1213.

228) **Scarano A**, Sinjari B, Murmura G, Mijiritsky E, Iaculli F, Mortellaro C, Tetè S.

Hemostasis control in dental extractions in patients receiving oral anticoagulant therapy: an approach with calcium sulfate.

J Craniofac Surg. 2014;25:843-6.

229) Scarano A, Piattelli A, Iezzi G, Varvara G.

Spontaneous bone formation on the maxillary sinus floor in association with surgery to remove a migrated dental implant: a case report.

Minerva Stomatol. 2014 Oct;63(10):351-9.

230) Traini T, Piattelli A, Caputi S, Degidi M, Mangano C, Scarano A, Perrotti V, Iezzi G.

Regeneration of human bone using different bone substitute biomaterials.

Clin Implant Dent Relat Res. 2015;17:150-62.

231) Scarano A, Piattelli A, Murmura G, Iezzi G, Assenza B, Mancino C.

Delayed expansion of the atrophic mandible by ultrasonic surgery: a clinical and histologic case series.

Int J Oral Maxillofac Implants. 2015;30:144-9

232) Liberatore L, Murmura F, Scarano A.

Bathing water profile in the coastal belt of the province of Pescara (Italy, Central Adriatic Sea).

Mar Pollut Bull. 2015;95:100-6. doi: 10.1016/j.marpolbul.2015.04.035. Epub 2015 Apr 29.

233) Scarano A, Mavriqi L, Bertelli I, Mortellaro C, Di Cerbo A. **Occurrence of maxillary sinus membrane perforation following nasal suction technique and ultrasonic approach versus conventional technique with rotary instruments.** J Craniofac Surg. 2015 May;26(3):706-8. doi: 10.1097/SCS.0000000000001755.PMID:25974776

234) Valbonetti L, Berardinelli P, Scarano A, Piattelli A, Mattioli M, Barboni B, Vulpiani MP, Muttini A. **Translational value of sheep as animal model to study sinus augmentation.** J Craniofac Surg. 2015 May;26(3):737-40. doi: 10.1097/SCS.0000000000001785. PMID: 25974782

235) Scarano A, Perrotti V, Piattelli A, Iaculli F, Iezzi G **Sealing capability of implant-abutment junction under cyclic loading: a toluidine blue in vitro study.**J Appl Biomater Funct Mater. 2015 Oct 16;13(3):e293-5. doi: 10.5301/jabfm.5000224. PMID: 26045221

236) Valeria Ettore, Patrizia De Marco, Susi Zara, Vittoria Perrotti, **Antonio Scarano**, Antonello Di Crescenzo, Morena Petrini, Caroline Hadad, Domenico Bosco, Barbara Zavan, Luca Valbonetti, Giuseppe Spoto, Giovanna Iezzi, Adriano Piattelli, Amelia Cataldi, Antonella Fontana.

***In vitro* and *in vivo* characterization of graphene oxide coated porcine bone granules.**

Carbon Volume 103, July 2016, Pages 291–298

237) Annibali S, Quaranta R, Scarano A, Pilloni A, Cicconetti A, Maria Paola Cristalli M.P, Bellavia D, Ottolenghi L.

Histomorphometric evaluation of bone regeneration induced by biodegradable scaffolds as carriers for dental pulp stem cells in a rat model of calvarial "critical size" defect.

Journal of Stem Cell Research & Therapy 2016, 6:1 <http://dx.doi.org/10.4172/2157-7633.1000322>

238) Scarano A, Ceccarelli M, Marchetti M, Piattelli A, Mortellaro C.

Soft Tissue Augmentation with Autologous Platelet Gel and β -TCP: A Histologic and Histometric Study in Mice.

Biomed Res Int. 2016;2016:2078104. doi: 10.1155/2016/2078104. Epub 2016 Jul 12.

239) **Scarano A**, Lorusso C, Di Giulio C, Mazzatenta A.

Evaluation of the Sealing Capability of the Implant Healing Screw by Using Real Time Volatile Organic Compounds (VOCs) Analysis: Internal Hexagon vs Cone Morse.

J Periodontol. 2016; 12:1492-1498

240) **Scarano A**, Lorusso F, Ravera L, Mortellaro C, Piattelli A.

Bone Regeneration in Iliac Crestal Defects: An Experimental Study on Sheep.

Biomed Res Int. 2016;2016:4086870. doi: 10.1155/2016/4086870. (IF 2.134)

241) **Scarano A**, Annibali S, Pippi R, Artese L, Piattelli A.

Zebra XXV, part 2. Cemento-ossifying fibroma.

J Endod. 2002;28:482-4

242) Pol R, Gallesio G, Riso M, Ruggiero T, **Scarano A**, Mortellaro C, Mozzati M.

Effects of Superpulsed, Low-Level Laser Therapy on Neurosensory Recovery of the Inferior Alveolar Nerve.

J Craniofac Surg. 2016 Jul;27(5):1215-9. doi: 10.1097/SCS.0000000000002757.

243) **Scarano A**, Nardi G, Murmura G, Rapani M, Mortellaro C.

Evaluation of the Removal Bacteria on Failed Titanium Implants After Irradiation With Erbium-Doped Yttrium Aluminium Garnet Laser.

J Craniofac Surg. 2016 Jul;27(5):1202-4. doi: 10.1097/SCS.0000000000002735.

244) Mavriqi L, Mortellaro C, **Scarano A**.

Inferior Alveolar Nerve Mobilization Using Ultrasonic Surgery With Crestal Approach Technique, Followed by Immediate Implant Insertion: Evaluation of Neurosensory Disturbance.

J Craniofac Surg. 2016 Jul;27(5):1209-11. doi: 10.1097/SCS.0000000000002755.

245) **Scarano A**, Mortellaro C, Mavriqi L, Di Cerbo A.

Evaluation Effectiveness of the Voltaic Arc Dermabrasion in Perioral Rhytides Eradication.

J Craniofac Surg. 2016 Jul;27(5):1205-8. doi: 10.1097/SCS.0000000000002714.

246) **Scarano A**, Valbonetti L, Marchetti M, Lorusso F, Ceccarelli M.

Soft Tissue Augmentation of the Face With Autologous Platelet-Derived Growth Factors and Tricalcium Phosphate. Microtomography Evaluation of Mice. J Craniofac Surg. 2016

Jul;27(5):1212-4. doi: 10.1097/SCS.0000000000002712.

247) **Scarano A**, Mortellaro C, Mavriqi L, Pecci R, Valbonetti L.

Evaluation of Microgap With Three-Dimensional X-Ray Microtomography: Internal Hexagon Versus Cone Morse. J Craniofac Surg. 2016 May;27(3):682-5. doi:

10.1097/SCS.0000000000002563.

248) Di Cerbo, F Pezzuto, **A Scarano**

Cytotoxic and Bacteriostatic Activity of Nanostructured TiO₂ Coatings

Polish Journal of Microbiology, 2016;65:225-229

249) **Scarano A**, Valbonetti L, Degidi M, Pecci R, Piattelli A, de Oliveira PS, Perrotti V.

Implant-Abutment Contact Surfaces and Microgap Measurements of Different Implant Connections Under 3-Dimensional X-Ray Microtomography.

Implant Dent. 2016;25:656-62. doi: 10.1097/ID.0000000000000465.

250) Kalemaj Z, **Scarano A**, Valbonetti L, Rapone B, Grassi FR.

Bone Response to Four Dental Implants with Different Surface Topographies: A Histologic and Histometric Study in Minipigs. Int J Periodontics Restorative Dent. 2016 Sep-Oct;36(5):745-54. doi: 10.11607/prd.2719.

251) Giovanna Iezzi, Adriano Piattelli, Alessandra Giuliani, Carlo Mangano, Licia Manzon, Marco Degidi, Flavia Iaculli, **Antonio Scarano**, Vittoria Perrotti, Antonella Filippone.

Molecular, Cellular and Pharmaceutical Aspects of bone grafting materials and membranes during maxillary sinus-lift procedures. Part 1: a general overview
Current Pharmaceutical Biotechnology 2017;19: 32-44 (IF 1.802)

252) Giovanna Iezzi, Adriano Piattelli, Alessandra Giuliani, Carlo Mangano, Antonio Barone, Licia Manzon, Marco Degidi, **Antonio Scarano**, Vittoria Perrotti, Antonella Filippone

Molecular, Cellular and Pharmaceutical Aspects of bone grafting materials and membranes during maxillary sinus-lift procedures. Part 2: detailed characteristics of the materials.
Current Pharmaceutical Biotechnology 2017;18: 33-44 (IF 1.802)

253) **Scarano A**, Crincoli V, Di Benedetto A, Cozzolino V, Lorusso F., Podaliri Vulpiani M, Grano M, Kalemaj Z, Mori M, Grassi FR .

Bone regeneration induced by Bone Porcine Block with Bone Marrow Stromal Stem Cells in a mini-pig model of mandibular "critical size" defect. Stem Cells International 2017;2017:9082869. doi: 10.1155/2017/9082869. Epub 2017 May 2

254) Gandolfi MG, Iezzi G, Piattelli A, Prati C, **Scarano A**.

Osteoinductive potential and bone-bonding ability of ProRoot MTA, MTA Plus and Biodentine in rabbit intramedullary model: Microchemical characterization and histological analysis. Dent Mater. 2017 Feb 20. pii: S0109-5641(17)30115-X. doi: 10.1016/j.dental.2017.01.017.

255) **Antonio Scarano**

Maxillary Sinus Augmentation with Decellularized Bovine Compact Particles: A Radiological, Clinical, and Histologic Report of 4 Cases.
BioMed Research International 2017; (IF 2.134)

256) **Scarano A**, Kelekis Cholakias A, Piattelli A.

Histological evaluation of sinus grafting materials after peri-implantitis-induced failure: a case series.
Int J Oral Maxillofac Implants 2017 Mar/Apr;32(2): e69-e75. doi: 10.11607/jomi.5303

257) **Scarano A**.

Traditional post-extractive implant site preparation compared to pre-extractive interradicular implant bed preparation in the mandibular molar region, using an ultrasonic device. A randomized pilot study. Int J Oral Maxillofac Implants 2017 May/Jun;32(3):655-660. doi: 10.11607/jomi.5342

258) Baj A, Romano M, Segna E, Palmieri A, Cura F, **Scarano A**, Ottria L, Gianni AB.

Bidirectional flux of fluids and microbiota at implant-abutment connection of FMD Storm implant system: an in vitro study using RT-PCR.

J Biol Regul Homeost Agents. 2017 Apr-Jun;31(2 Suppl 1):155-161.

259) Baj A, Beltramini GA, Bolzoni A, Cura F, Palmieri A, **Scarano A**, Ottria L, Gianni AB.

Bacterial colonization of the implant-abutment interface of conical connection with an internal octagon: an in vitro study using real-time PCR.

J Biol Regul Homeost Agents. 2017 Apr-Jun;31(2 Suppl 1):163-168.

260) **Scarano A**, Lorusso F, Staiti G, Sinjari B, Tampieri A, Mortellaro C.

Sinus Augmentation with Biomimetic Nanostructured Matrix: Tomographic, Radiological, Histological and Histomorphometrical Results after 6 Months in Humans.

Front. Physiol. 2017;8:565-569. doi: 10.3389/fphys.2017.00565

261) **Scarano, A.**, Murmura, G. Vantaggiato, G. Lauritano, D. Silvestre-Rangil, J.d, Di Cerbo, A., Lorusso, F.

Delayed expansion of atrophic mandible (Deam): A case report

ORAL and Implantology 2017;10:190-196 DOI: 10.11138/orl/2017.10.2.190

262) **Scarano A**, Sinjari B, Murmura G, Lorusso F

Neurosensory Disturbance of the Inferior Alveolar Nerve After 3025 Implant Placements.

Implant Dent. 2017 Oct;26(5):735-743. doi: 10.1097/ID.0000000000000651.

263) **Scarano A**, Assenza B, DI Cerbo A, Candotto V, Santos DE Oliveira P, Lorusso F.

Bone regeneration in aesthetic areas using titanium micromesh. Three case reports.

Oral Implantol (Rome). 2017 Jan 21;10(4):488-494. doi: 10.11138/orl/2017.10.4.488. eCollection 2017 Oct-Dec.

264) **Scarano A**, Cholakis AK, Piattelli A.

Histologic Evaluation of Sinus Grafting Materials After Peri-implantitis-Induced Failure: A Case Series.

Int J Oral Maxillofac Implants. 2017 Mar/Apr;32(2):e69-e75. doi: 10.11607/jomi.5303.

265) **Scarano A.**

Traditional Postextractive Implant Site Preparation Compared with Pre-extractive Interradicular Implant Bed Preparation in the Mandibular Molar Region, Using an Ultrasonic Device: A Randomized Pilot Study.

Int J Oral Maxillofac Implants. 2017 May/Jun;32(3):655-660. doi: 10.11607/jomi.5342.

266) **Scarano A**, Lorusso C, Mortellaro C, Limongelli L, Tempesta A, Favia G.

Peripheral Giant Cell Granuloma Associated With Dental Implants.

J Craniofac Surg. 2018 Mar;29(2):e196-e199. doi: 10.1097/SCS.00000000000004281.

267) **Scarano A**, Piattelli A, Quaranta A, Lorusso F.

Bone Response to Two Dental Implants with Different Sandblasted/Acid-Etched Implant Surfaces: A Histological and Histomorphometrical Study in Rabbits.

Biomed Res Int. 2017;2017:8724951. doi: 10.1155/2017/8724951.

268) Rotundo R, Cozzolino V, Mortellaro C, **Scarano A.**

Scanning Electron Microscopy Evaluation of Root Surfaces After Instrumentation With Two Piezoelectric Devices.

J Craniofac Surg. 2018 Jun;29(4):988-991. doi: 10.1097/SCS.0000000000004364.

269) Scarano A, Lorusso F, Brucoli M, Lucchina AG, Carinci F, Mortellaro C.

Upper Eyelid Blepharoplasty With Voltaic Arc Dermabrasion.

J Craniofac Surg. 2018 Nov;29(8):2263-2266. doi: 10.1097/SCS.0000000000004504.

270) Sinjari B, Traini T, Caputi S, Mortellaro C, Scarano A.

Evaluation of Fibrin Clot Attachment on Titanium Laser-Conditioned Surface Using Scanning Electron Microscopy.

J Craniofac Surg. 2018 Nov;29(8):2277-2281. doi: 10.1097/SCS.0000000000004519.

271) Scarano A, Mortellaro C, Brucoli M, Lucchina AG, Assenza B, Lorusso F. Short Implants: **Analysis of 69 Implants Loaded in Mandible Compared With Longer Implants.**

J Craniofac Surg. 2018 Nov;29(8):2272-2276. doi: 10.1097/SCS.0000000000004518.

272) Scarano A, Sinjari B, Lorusso F, Mortellaro C, D'Ovidio C, Carinci F.

Intense, Instantaneous, and Shooting Pain During Local Anesthesia for Implant Surgery.

J Craniofac Surg. 2018 Nov;29(8):2287-2290. doi: 10.1097/SCS.0000000000004575.

273) Scarano A, Inchingolo F, Murmura G, Traini T, Piattelli A, Lorusso F.

Three-Dimensional Architecture and Mechanical Properties of Bovine Bone Mixed with Autologous Platelet Liquid, Blood, or Physiological Water: An In Vitro Study.

Int J Mol Sci. 2018 Apr 18;19(4). pii: E1230. doi: 10.3390/ijms19041230.

274) Scarano A, Lorusso F, Arcangelo M, D'Arcangelo C, Celletti R, de Oliveira PS.

Lateral Sinus Floor Elevation Performed with Trapezoidal and Modified Triangular Flap Designs: A Randomized Pilot Study of Post-Operative Pain Using Thermal Infrared Imaging.

Int J Environ Res Public Health. 2018 Jun 16;15(6). pii: E1277.

275) Scarano A, Crocetta E, Quaranta A, Lorusso F.

Influence of the Thermal Treatment to Address a Better Osseointegration of Ti6Al4V Dental Implants: Histological and Histomorphometrical Study in a Rabbit Model.

Biomed Res Int. 2018 Jun 27;2018:2349698. doi: 10.1155/2018/2349698.

276) Scarano A, de Oliveira PS, Traini T, Lorusso F.

Sinus Membrane Elevation with Heterologous Cortical Lamina: A Randomized Study of a New Surgical Technique for Maxillary Sinus Floor Augmentation without Bone Graft. Materials (Basel).

2018 Aug 17;11(8). pii: E1457. doi: 10.3390/ma11081457.

277) Candotto V, Lauritano D, Carinci F, Bignozzi CA, Pazzi D, Cura F, Severino M, Scarano A. **Silver-Based Chemical Device as an Adjunct of Domestic Oral Hygiene: A Study on Periodontal Patients.**

Materials (Basel). 2018 Aug 20;11(8). pii: E1483. doi: 10.3390/ma11081483.

278) Di Cerbo A, Pezzuto F, Scarano A, Guidetti G, Canello S. **The contradictory world of tetracyclines.** Panminerva Med. 2018 Oct 10. doi: 10.23736/S0031-0808.18.03539-5.

- 279) **Scarano A**, Carinci F, Lorusso F, Festa F, Bevilacqua L, Santos de Oliveira P, Maglione M. **Ultrasonic vs Drill Implant Site Preparation: Post-Operative Pain Measurement Through VAS, Swelling and Crestal Bone Remodeling: A Randomized Clinical Study.** Materials (Basel). 2018 Dec 11;11(12). pii: E2516. doi: 10.3390/ma11122516.
- 280) **Scarano A**, Murmura G, Mastrangelo F, Lorusso F, Greco Lucchina A, Carinci F. **A novel technique to prevent sinus membrane collapse during maxillary sinus floor augmentation without bone graft: technical note.** J Biol Regul Homeost Agents. 2018 Nov-Dec;32(6):1589-1592.
- 281) **Scarano A**, Lorusso F, Di Cerbo A, Lucchina AG, Carinci F. **Eradication of hairy mouth after oncological resection of the tongue and floor mouth using a diode laser 808 nm. Postoperative pain assessment using thermal infrared imaging.** Lasers Surg Med. 2019 Jan 6. doi: 10.1002/lsm.23054.
- 282) Noubbissi S, **Scarano A**, Gupta S. A **Literature Review Study on Atomic Ions Dissolution of Titanium and Its Alloys in Implant Dentistry.** Materials (Basel). 2019 Jan 24;12(3). pii: E368. doi: 10.3390/ma12030368.
- 283) **Scarano A**, Lorusso F, Orsini T, Morra M, Iviglia G, Valbonetti L. **Biomimetic Surfaces Coated with Covalently Immobilized Collagen Type I: An X-Ray Photoelectron Spectroscopy, Atomic Force Microscopy, Micro-CT and Histomorphometrical Study in Rabbits.** Int J Mol Sci. 2019 Feb 8;20(3). pii: E724. doi: 10.3390/ijms20030724.
- 284) Ballini A, Cantore S, Scacco S, Perillo L, **Scarano A**, Aityan SK, Contaldo M, Cd Nguyen K, Santacroce L, Syed J, De Vito D, Dipalma G, Gargiulo Isacco C, Inchingolo F. **A comparative study on different stemness gene expression between dental pulp stem cells vs. dental bud stem cells.** Eur Rev Med Pharmacol Sci. 2019 Feb;23(4):1626-1633. doi: 10.26355/eurrev_201902_17122.
- 285) Di Stefano DA, Arosio P, Perrotti V, Iezzi G, **Scarano A**, Piattelli A. **Correlation between Implant Geometry, Bone Density, and the Insertion Torque/Depth Integral: A Study on Bovine Ribs.** Dent J (Basel). 2019 Mar 5;7(1). pii: E25. doi: 10.3390/dj7010025.
- 286) Ballini, A., Di Benedetto, A., De Vito, D., **Scarano, A.**, Scacco, S., Perillo, L., Posa, F., Dipalma, G., Paduano, F., Contaldo, M., Grano, M., Brunetti, G., Colaianni, G., Di Cosola, M., Cantore, S., Mori, G. **Stemness genes expression in naïve vs. osteodifferentiated human dental-derived stem cells** (2019) European Review for Medical and Pharmacological Sciences, 23 (7), pp. 2916-2923.
- 287) Mastrangelo, F., Scacco, S., Ballini, A., Quaresima, R., Gnoni, A., Vito, D.D.E., **Scarano, A.**, Dipalma, G., Gargiulo Isacco, C., Cantore, S., Coscia, M.F., Pettini, F., Sammartino, G., Cicciù, M., Conti, P., Lo Muzio, L. **A pilot study of human mesenchymal stem cells from visceral and subcutaneous fat tissue and their differentiation to osteogenic phenotype** (2019) European Review for Medical and Pharmacological Sciences, 23 (7), pp. 2924-2934.
- 288) Boccellino, M., Di Stasio, D., Dipalma, G., Cantore, S., Ambrosio, P., Coppola, M., Quagliuolo, L., **Scarano, A.**, Malcangi, G., Borsani, E., Rinaldi, B., Nuzzolese, M., Xhajanka, E., Ballini, A.,

- Inchingolo, F., Di Domenico, M. **Steroids and growth factors in oral squamous cell carcinoma: Useful source of dental-derived stem cells to develop a steroidogenic model in new clinical strategies** (2019) *European Review for Medical and Pharmacological Sciences*, 23 (20), pp. 8730-8740.
- 289) Bavetta, G., Bavetta, G., Randazzo, V., Cavataio, A., Paderni, C., Grassia, V., Dipalma, G., Isacco, C.G., **Scarano, A.**, Vito, D.D., Cantore, S., Ballini, A., Inchingolo, F. **A retrospective study on insertion torque and implant stability quotient (isq) as stability parameters for immediate loading of implants in fresh extraction sockets** (2019) *BioMed Research International*, 2019, art. no. 9720419,
- 290) Ballini, A., Gnoni, A., Vito, D.D.E., Dipalma, G., Cantore, S., Gargiulo Isacco, C., Saini, R., Santacroce, L., Topi, S., **Scarano, A.**, Scacco, S., Inchingolo, F. **Effect of probiotics on the occurrence of nutrition absorption capacities in healthy children: A randomized double-blinded placebo-controlled pilot study** (2019) *European Review for Medical and Pharmacological Sciences*, 23 (19), pp. 8645-8657.
- 291) Pezzuto, F., **Scarano, A.**, Marini, C., Rossi, G., Stocchi, R., Di Cerbo, A., Di Cerbo, A. **Assessing the reliability of commercially available point of care in various clinical fields** (2019) *Open Public Health Journal*, 12 (1), pp. 342-368.
- 292) Maglione, M., Bevilacqua, L., Dotto, F., Costantinides, F., Lorusso, F., **Scarano, A.** **Observational Study on the Preparation of the Implant Site with Piezosurgery vs. Drill: Comparison between the Two Methods in terms of Postoperative Pain, Surgical Times, and Operational Advantages** (2019) *BioMed Research International*, 2019, art. no. 8483658, .
- 293) **Scarano, A.**, Carinci, F., Festa, F., Candotto, V., Amore, R., Lorusso, F. **Periauricular wrinkles removed with voltaic arc dermabrasion (Atmospheric Plasma technique)** (2019) *Journal of Cosmetic Dermatology*.
- 294) Candotto, V., Pezzetti, F., Scarano, A., Agazzi, A., Spadari, F., Palmieri, A. **Liquid biopsy** (2019) *Journal of Biological Regulators and Homeostatic Agents*, 33 (6), pp. 1-5.
- 295) Canello, S., Guidetti, G., Di Cerbo, A., Scarano, A., Cocco, R. **Unraveling a commercial formula to relieve halitosis in dogs** (2019) *International Journal of Applied Research in Veterinary Medicine*, 17 (1), pp. 22-26.
- 296) **Scarano, A.**, Assenza, B., Inchingolo, F., Mastrangelo, F., Lorusso, F. **New Implant Design with Midcrestal and Apical Wing Thread for Increased Implant Stability in Single Postextraction Maxillary Implant** (2019) *Case Reports in Dentistry*, 2019, art. no. 9529248, .
- 297) Candotto, V., Baj, A., Beltramini, G., Scarano, A., Palmieri, A. **Drug-induced gingival overgrowth: An in vitro study on cyclosporine and human gingival fibroblasts** (2019) *Journal of Biological Regulators and Homeostatic Agents*, 33 (6), pp. 21-27.
- 298) Lorusso, F., Postiglione, F., **Scarano, A.** **Interpositional inlay bone grafting enhanced by autologous platelet gel (Apg) in atrophic posterior mandible treatment: A case report** (2019) *ORAL and Implantology*, 12 (2), pp. 111-117.

- 299) Sinjari, B., D'addazio, G., Traini, T., Varvara, G., **Scarano, A.**, Murmura, G., Caputi, S.
A 10-year retrospective comparative human study on screw-retained versus cemented dental implant abutments (2019) *Journal of Biological Regulators and Homeostatic Agents*, 33 (3), pp. 787-798.
- 300) Candotto, V., Oberti, L., Gabrione, F., **Scarano, A.**, Rossi, D., Romano, M.
Complication in third molar extractions (2019) *Journal of Biological Regulators and Homeostatic Agents*, 33 (3), pp. 169-172.
- 301) Petrini, M., Spoto, G., **Scarano, A.**, D'Arcangelo, C., Tripodi, D., Di Fermo, P., D'Ercole, S.
Near-infrared LEDS provide persistent and increasing protection against E. faecalis
(2019) *Journal of Photochemistry and Photobiology B: Biology*, 197, art. no. 111527.
- 302) Carinci, F., Lauritano, D., Bignozzi, C.A., Pazzi, D., Candotto, V., de Oliveira, P.S., Scarano, A.
A new strategy against peri-implantitis: Antibacterial internal coating
(2019) *International Journal of Molecular Sciences*, 20 (16), art. no. 3897.
- 303) **Scarano, A.**, Conte, R., Murmura, G., Lorusso, F.
Satisfaction grade assessment of patients treated with zygomatic implants with self-tapping apex and machined body (2019) *Journal of Biological Regulators and Homeostatic Agents*, 33 (5), pp. 1651-1656.
- 304) **Scarano, A.**, Lorusso, F., Santos de Oliveira, P., Padmanabhan, S.K., Licciulli, A.
Hydroxyapatite block produced by sponge replica method: Mechanical, clinical and histologic observations (2019) *Materials*, 12 (19), art. no. 3079,
- 305) **Scarano, A.**, Stoppaccioli, M., Casolino, T.
Zirconia crowns cemented on titanium bars using CAD/CAM: A five-year follow-up prospective clinical study of 9 patients (2019) *BMC Oral Health*, 19 (1), art. no. 286
- 306) Varvara, G., Sinjari, B., Caputi, S., **Scarano, A.**, Piattelli, M.
The Relationship Between Time of Retightening and Preload Loss of Abutment Screws for Two Different Implant Designs: An In Vitro Study (2020) *The Journal of oral implantology*, 46 (1), pp. 13-17.
- 307) **Scarano A**, Petrini M, Mastrangelo F, Noubbissi S, Lorusso F. The Effects of **Liquid Disinfection and Heat Sterilization Processes on Implant Drill Roughness: Energy Dispersion X-ray Microanalysis and Infrared Thermography**. *J Clin Med*. 2020 Apr 4;9(4). pii: E1019. doi: 10.3390/jcm9041019. PubMed PMID: 32260343.
- 308) Vinci R, Manacorda M, Abundo R, Lucchina AG, **Scarano A**, Crocetta C, Muzio LL, Gherlone EF, Mastrangelo F. **Accuracy of Edentulous Computer-Aided Implant Surgery as Compared to Virtual Planning: A Retrospective Multicenter Study**. *J Clin Med*. 2020 Mar 12;9(3). pii: E774. doi: 10.3390/jcm9030774. PubMed PMID: 32178392.
- 309) **Scarano A**, Lorusso F, Noubbissi S. **Infrared Thermographic Evaluation of Temperature Modifications Induced during Implant Site Preparation with Steel vs. Zirconia Implant Drill**. *J Clin Med*. 2020 Jan 5;9(1). pii: E148. doi: 10.3390/jcm9010148. PubMed PMID: 31948130; PubMed Central PMCID: PMC7019482.

NATIONAL PEER-REVIEWED PAPERS

- 1) P. Galantuomo, R. Marra, **A. Scarano**, P. Trisi
Istological analysis of a tiolox implant
It J Osseointegration 1994;2:33-38
- 2) **A. Scarano**, N. Romasco, P. Trisi, A. Piattelli.
Microscope analysis of the biological response induced by biomaterials used in oral implantology.
It J Osseointegration 1994;2:33-38
- 3) M. Quaranta, **A. Scarano**, A. Piattelli,
Sezioni istologiche sottili contenenti biomateriali: un nuovo strumento di indagine.
Dental Cadmos (DOSSIER) 1995;20:9-29
- 4) V. Bucci Sabatini, C. Mangano, B. Bucci Sabatini, **A. Scarano**
Biomateriali in chirurgia orale
Il Dentista Moderno (DOSSIER) 1996;14:23-36
- 5) Piattelli A, **Scarano A**, Favero G.A.
Analisi istologica su 192 impianti dentali analizzati in un arco di tempo di 7 anni.
Giornale di Stomatologia e di Ortodonzia 1997;0:1-6
- 6) Piattelli A, Corigliano M, **Scarano A**, Quaranta M.
Reazioni ossee al carico oclusale precoce su impianti in titanio sommersi, rivestiti da plasma-spray: uno studio pilota sulla scimmia.
Odontoiatria e Parodontologia Ricostruttiva 1997;17:163-169
- 7) De Gidi M, **Scarano A**, Piattelli A.
Carico immediato e carico non funzionale degli impianti dentali: evidenze cliniche e sperimentali
RIS (Rivista italiana di Stomatologia) 1999;12:163-184
- 8) Mangano C, Bartolucci E, De Franco M, **Scarano A**, Piattelli A, Fornara R.
Una nuova idrossiapatite in chirurgia rigenerativa. Studio Immunocitochimico.
Dental Cadmos 2000;2:69-74
- 9) De Gidi M., **Scarano A.**, Piattelli A.
Carico immediato e carico non funzionale degli impianti dentali: evidenze cliniche e sperimentali.
Rivista Italiana di Stomatologia 2000;3:163-185
- 10) Marinho V., **Scarano A**, Celletti R, Minkin C, Piattelli A.
Histological analysis of the bone healing around acid etched implants: a pilot study in the rat.
I J Oral Impl 2001;3:29-35
- 11) **A. Scarano**, M. Quaranta, G. Petrone, G. Iezzi, M. Piattelli, A. Piattelli.
Aspetti clinici e istologici dei fallimenti implantari
Il Dentista Moderno (DOSSIER) 2000;5:27-46

- 12) Traini T, **Scarano A**, Ciavarelli L, Caputi S, Piattelli A.
Frattografia in odontoiatria: principi generali sui meccanismi di frattura di impianti dentali.
Implantologia Orale 2000;1:27-37
- 13) Vozza I, Quaranta A, **Scarano A**, Rossi S, Pompa G.
Analisi istomorfometrica della risposta ossea a impianti in titanio macchinati e sabbiati e mordenzati
Riv I Odontoiatria Protesica 2001;2:18-20
- 14) Assenza B, C. Minkin, Scarano A, V. C. Marinho, **A. Scarano**, Renato Celletti, , Adriano Piattelli
Impianti sabbiati e mordenzati: uno studio istologico nel ratto.
Rivista Italiana di Stomatologia 2001;3:71-6
- 15) Manlio Quaranta, Michele Cassetta, Riccardo Scaringi, Giorgio Pompa and **Antonio Scarano**
Reazioni dei tessuti perimplantari di due impianti caricati immediatamente
Italian Journal of Osseointegration 2001;1:13-20
- 16) **Scarano A**, Iezzi G, Petrone G, Spoto G, Strocchi R, Piattelli A.
Risposta ossea determinata da impianti machined e TPSS
Dental Cadmos 2002;6:37-45
- 17) Piattelli A, Orsini G. De Leonardis D, **Scarano A**, Iezzi G, Spoto G, Pecora G.
Il solfato di calcio nella rigenerazione ossea: Valutazione istologica
Dental Cadmos 2002;10:53-57
- 18) Maurizio Ripari, Adriano Piattelli, Claudia Maggiore, Francesca Ripari, Luca Di Alberti and **Antonio Scarano**
Valutazione del removal torque di impianti lisci e impianti sabbiati e mordenzati posizionati in tibia di coniglio
Italian Journal of Osseointegration 2002;1: 11-19
- 19) **Antonio Scarano**, Giovanna Iezzi, Maurizio Piattelli, Francesca Ripari, Giuseppe Vrespa, Adriano Piattelli
Guarigione ossea intorno a impianti in titanio plasma-spray e in titanio plasma-spray rivestito in TiN
Implantologia Orale 2002;2:44-50
- 20) **Antonio Scarano**, Giovanna Petrone, Giovanna Iezzi, Giuseppe Vrespa, Alessandro Quaranta ed Adriano Piattelli
Rimaneggiamento dell'osso crestale perimplantare: uno studio su mandibola di Macaca Fascicularis
Italian Oral Surgery 2002;01:1-20
- 21) **Antonio Scarano**, Giuseppe Spoto, Giuseppe Vrespa, Giovanna Iezzi, Rita Strocchi ed Adriano Piattelli .
Superficie implantari plasma-spray e machined: Valutazioni biochimiche ed istomorfometriche.
Il Dentista Moderno 2002;8:91-99
- 22) **Antonio Scarano**, Giovanna Iezzi, Giovanna Petrone, Giuseppe Spoto, Rita Strocchi ed Adriano Piattelli

Risposta ossea intorno ad impianti machined e TPSS (titanium pull spray superficial)
Dental Cadmos 2002;6:37-43

23) **Scarano A**, Assenza B, Petrone G, Thams U¹, San Roman E², Piattelli A
Complicanze meccaniche in impianti dentali con abutment avvitato o cementato: uno studio sperimentale sul beagle dog

Annali di Stomatologia 2002;2:45-54

24) Manzon L, Piattelli A, Brugnoletti O, **Scarano A**.
Adesione dei compomeri alle strutture dentali.

Dental Cadmos 2002;6:67-70

25) **Scarano A**, Piattelli M, Vespa G, Sfasciotti G, Perrin D, Piattelli A.

Impianti a vite piena ed impianti a vite cava: Valutazioni istomorfometriche e del removal torque in mandibola di maiale.

Quintessenza Internazionale 2002; 10: 331-337

26) Pecora G, **Scarano A**, Iezzi G, Orsini G, Petrone G, De Leonardis D, Piattelli A.

Grande rialzo del seno mascellare con innesto di solfato di calcio: comparazione clinica, radiologica ed istologica tra la tecnica a stratificazione e quella con microgranuli.

Quintessenza Internazionale 2002;12:417-423

27) **Scarano A**, Dolci M, Pecora G, Caputi S, Piattelli A.

Neoformazione ossea nel grande rialzo di seno mascellare riempito con granuli di solfato di calcio

Gazzetta dell'Ordine dei Medici di Foggia 2003;1:95-102

28) **Scarano A**, Sfasciotti G, Caputi S, Piattelli M.

Leiomioma del labbro. A case report

Gazzetta dell'Ordine dei Medici di Foggia 2003;1:95-102

29) **Scarano A**, Artese L, Tetè S, Falco A, Perfetti G.

Leiomioma del Palato

Italian Oral Surgery 2003;02:43-47

30) **Scarano A**, Iezzi G, Petrone G, Quaranta A, Piattelli A.

Valutazione della densità ossea perimplantare: uno studio sperimentale su coniglio.

Il Dentista Moderno 2003;2:95-107

31) Assenza B, Pastore M, Di Domizio P, **Scarano A**, Petti G, Piattelli A.

Integrazione mucosa in implantologia: Analisi critica di tre tipi di connessioni impianto-abutment.

Implantologia Orale 2003;1:27-38

32) **Scarano A**, Piattelli M, Quaranta M, Quaranta A, Piattelli A.

Histological aspect of the incorporation and remodeling of autologous bone e-PTFE membranes.

Italian Journal of Osseointegration 2003;3:9-14

33) Vozza I, **Scarano A**, Rossi S, Quaranta M.

Adesione cellulare epiteliale su superfici di titanio sabbiato e acidificate: studio in vitro.

DoctorOs 2003;14:174-176

34) **Scarano A**, Iezzi G, Vespa G, Piattelli M, Piattelli A.
Impianti dentari nitruati. Studio istologico e clinico
Dental Cadmos 2003;6:51-60

35) Vozza I, **Scarano A**, Quaranta M.
Studio clinico e istologico sul rialzo di seno mascellare e suo riempimento con osso sterile collagenato.
Italian Journal of Osseointegration 2004;4:19-23

36) **Scarano A**, Iovino E, Vespa D, Di Carlo F, Piattelli A
Adesione batterica su viti di guarigione rivestite in nitrato di titanio.
Quintessenza Internazionale 2004;2:111-118

37) **Scarano A**, Thams U, San Romàn F, Petrone G, Assenza B.
Complicaciones mecánicas en implantes dentales con muelle atornillado o cementado: observaciones experimentales
Gaceta Dental 2004;148:40-51

38) Assenza B, Pèrez GMJ, Dancausa PN, **Scarano A**, Piattelli A.
Integración mucosa en implantología: análisis crítico de tres tipos de conexiones con implante abutment.
Rev. Esp. Odontostomatología de implantes 2004 ;12 :112-122

39) Assenza B, **Scarano A**, Dancausa PN, Piattelli M, Piattelli A.
Expansión controlada de las crestas atroficas en los maxilares. Inserción inmediata de los implantes.
Gaceta Dental 2005;157:5867-51

40) **Scarano A**
I biomateriali nella pratica chirurgica odontoiatrica
Gazzetta dell'Ordine dei Medici di Foggia 2005;1:71-78

41) **Scarano A**, Tura F, Quaranta A, Petrone G, Piattelli A.
Impianto TPSS (Titanium pull spray superficial); analisi istologica dopo 6 anni di funzione.
Quintessenza Internazionale 2005;4:29-35

42) Iezzi G, **Scarano A**, Perrotti V, Novello G, Piattelli A.
Un nuovo impianto fresante che semplifica il protocollo chirurgico
Quintessenza Internazionale 2005;3:29-36

43) Perrotti V, **Scarano A**, Iezzi G, Piattelli A.
Risposta ossea ad impianti a superficie nanopore anodizzata.
Rivista Italiana di Odontostomatologia 2004;1:13-21

44) **Scarano A**, Piattelli A, Iezzi G, Quaranta A, Pecora G, Piattelli M.
Rialzo di seno mascellare con solfato di calcio e Bio-Oss.
Il Dentista Moderno 2001;2:67-76

45) Piattelli A, **Scarano A**, Favero G.A.

Analisi istologica di 192 impianti dentali analizzati in un arco di tempo di 7 anni.

Giornale di Stomatologia e Ortognatodonzia 1997;1:1-7

46) **Antonio Scarano**, Giovanna Iezzi, Alessandro Quaranta, Elisabetta Fiera, Adriano Piattelli
I biomateriali in chirurgia odontostomatologica

Italian Oral Surgery 2006;01:11-23

47) P. Tortora, **Scarano A**, Iezzi G, Petrone G, Piattelli A.

Valutazione clinica e istologica della rigenerazione ossea guidata nel rialzo di seno mascellare con e senza riempimento.

Il Dentista Moderno 2004;04:57-72

48) P. Tortora, **Scarano A**, Iezzi G, Petrone G, Perrotti V, Strocchi R, Piattelli A.

Analisi istologica ed istomorfometrica della guarigione ossea su due diverse superfici implantari: uno studio sperimentale su coniglio.

Il Dentista Moderno 2003;10:61-72

49) **Antonio Scarano**, **Quaranta A**, **Piattelli M**

Prevenzione e gestione degli impianti dislogati nel seno mascellare

Dental Cadmos 2007;3:23-32

50) **Scarano A**, Specchiulli A.

Dislogazione accidentale di impianti dentali nel seno mascellare.

Gazzetta dell'Ordine dei Medici di Foggia 2006;0:123-129

51) **Scarano A**, Assenza B, Di Iorio D, Quaranta A, Piattelli A.

Effetto della sterilizzazione e detersione sulle frese per implantologia

Italian Oral Surgery 2008;4:1-15

52) **Scarano A**, Assenza b, Di Iorio D, Quaranta A, Piattelli A.

Valutazione dell'usura delle frese e della produzione di calore durante la preparazione del sito implantare.

Italian Oral Surgery 2009;4:1-15

53) **Scarano A**, Quaranta A, Di Iorio D, Di Carlo F.

Recupero di un impianto con abutment fratturato. Caso Clinico

DoctorOs 2006;17:1-9

54) **Scarano A**, Iezzi G, Ravera L, Morelli F, Quaranta A, Piattelli A.

Rigenerazione ossea guidata con membrane in Goretex e VBR: uno studio sperimentale

Implantologia 2007; 1: 61-72

55) **Scarano A**, Iezzi G, Quaranta A, Piattelli A.

Valutazione istologica della risposta ossea a una nuova superficie implantare sabbiata e mordenzata: uno studio sperimentale sul coniglio

Implantologia Orale 2007;2:36-42

56) **Scarano A**, Assenza B, Petrone G, Thams U, San Roman E, Piattelli A

Complicanze meccaniche in impianti dentali con abutment avvitato o cementato: uno studio sperimentale su beagle dog.

Implantologia Orale 2003;4:1-9

- 57) **Scarano A**, Quaranta A, Vespa G, Sacco L, Piattelli A
Influenza della macrostruttura implantare sulla distribuzione topografica dell'osso neoformato perimplantare.
Implantologia Orale 2007;3:2-8
- 58) **Scarano A**, Assenza B, Quaranta A, Quaranta M, Piattelli A.
Impianti singoli post-estrattivi immediati a carico immediato in zone ad alto impatto estetico.
Dental Clinic 2007;2:21-33
- 59) Sacco ML, Vespa G, Di Carlo F, e **Scarano A**.
Medio Rialzo del Seno Mascellare: Risultati clinici
DoctorOs 2007;6:1-8
- 60) **Scarano A**, Di Carlo F, Piattelli A.
Effetto della sterilizzazione e detersione sulle frese per implantologia: zirconia vs acciaio.
Quintessenza Implantologia 2007; 3: 61-72
- 61) **Scarano A**.
Prevenzione e gestione delle lesioni iatrogene del nervo alveolare inferiore in chirurgia implantare
Gazzetta dell'Ordine dei Medici di Foggia 2007;57:97-106
- 62) **Scarano A**, Murmura G.
Stabilizzazione della protesi mobile inferiore con impianti di calibro ridotto.
Dental Cadmos 2008; 3: 25-38
- 63) Bailo A. **Scarano A**.
La metodica Piezoelettrica nell'espansione della cresta atrofica edentula
DoctorOs 2008;19:533-540
- 64) **Scarano A**, Assenza B, Piattelli A.
Preparazione del sito implantare e surriscaldamento osseo
Dental Clinic 2008;1:5-11
- 65) Madaschi M, Madaschi R, Benatti G.L. Vrespa G. **Scarano A**, Iezzi G.
Short implant: evidenze sperimentali e cliniche
Dental Clinic 2008;1:13-20
- 66) Mangano C, **Scarano A**, Pernotti V, Iezzi G, Piattelli M.
Rialzo del seno mascellare con idrossiapatite porosa sintetica e idrossiapatite di origine bovina: studio clinico comparativo e istologico Implantologia Quintessenza 2008; 3: 21-29
- 67) **Scarano A**.
L'uso del solfato di calcio per l'emostasi nella disinclusione chirurgico-ortodontica dei denti inclusi
Quintessenza 2008; 6: 25-31
- 68) **Scarano A**, Di Iorio D, Sacco ML, Vespa G.
Valutazione della resistenza a fatica ciclica di una connessione impianto-abutment cone morse

e avvitata

Italian Oral Surgery 2010;3:157-161

69) **Scarano A.**, Di Iorio D, Sacco ML, Vespa G.

Analisi meccanica di una nuova connessione impianto abutment.

Dental Cadmos

70) **Scarano A.**, Assenza B., Di Iorio D, Piattelli A.

Valutazione delle procedure di sterilizzazione e detersione delle frese per implantologia

Doctoros 2009;20;1-9

71) **Scarano A.**, Di Iorio, C. Mancino, B. Assenza, A. Piattelli

Usura delle frese e produzione di calore durante la preparazione del sito impiantare

Italian Oral Surgery 2009;4;14-22

72) **Scarano A.**

Ringiovanimento dei tessuti molli periorali

Dental Clinic 2009;2:13-24

73) **Scarano A.**, Pistilli R, Bailo A, Assenza B, Cimorelli E, Piattelli M.

La chirurgia ultrasonica nella riabilitazione di mandibole atrofiche

Dental Clinics 2009;4:27;34

74) **Scarano A.**, Di Cristinzi A, Corvino V, Mancino C.

L'uso di mini-impianti per la stabilizzazione della protesi mobile in pazienti anziani.

Quintessenza 2009;5bis:85-90

75) **Scarano A**

Short implant

Dental Cadmos 2009;1:13-20

78) Bailo A, **Scarano A.**

La Chirurgia ultrasonica e applicazioni cliniche nella chirurgia orale ambulatoriale

Amici Di Brug 2010;12:303-312

79) **Scarano A.**, Di Iorio D, Mancino C, Di Cristinzi A, Sacco LM.

Resistenza a fatica ciclica di una connessione impianto/abutment

cone morse e avvitata

Doctoros 2010;6;693-97

80) **Scarano A.**

Prevenzione e gestione delle lesioni iatrogene del nervo alveolare inferiore in chirurgia implantare

Symposium Odontoiatrico 2010;2:7-12

81) **A. Scarano, M.L. Sacco, D. Di Iorio, M. Amoroso, C. Mancino**

Valutazione della resistenza a fatica ciclica di una connessione impianto-abutment cone morse e avvitata

ITALIAN ORAL SURGERY 2010;4:120-30

82) **Scarano A.**, A. Piattelli, G. Vantaggiato, P. Di Domizio, I. Bertelli

Analisi Meccanica della connessione cone morse

Quintessence Implantologia 2014; 1: 11-22

83) Di Iorio E, Berardini M, **Scarano A.**

Chirurgia estrattiva e riabilitazione implantoprotesica di un paziente con inclusioni dentarie multiple secondarie ad anchilosi. Surgical removal of multiple tooth inclusions caused by tooth ankylosis and implant-supported rehabilitation.

Dental Cadmos 2014;86(6):437-445 [http://dx.doi.org/10.1016/S0011-8524\(14\)70192-8](http://dx.doi.org/10.1016/S0011-8524(14)70192-8)

84) Di Iorio E, Berardini M, **Scarano A**, Assenza B. Rigenerazione ossea guidata con griglie in titanio in settore e-stetico. Case Report. Guided bone regeneration in aesthetic zone using titanium mesh. Case report. Il Dentista Moderno 2015;(2):74-82 ISSN 1827-3726

85) **A. Scarano**, M. Basciani, G. Vantaggiato, F. Lorusso

Valutazione della resistenza a fatica ciclica di una connessione impianto/abutment cone morse e vite di serraggio.

Quintessence Implantologia 2015; 2: 8-13

86) Assenza B., Romano F., Mongelli P., Bricca C., Crisante A., Lorusso F., Scarano A. **Impianti X-Space in siti post estrattivi mascellari anteriori: case series.**

Doctor Os

2019; 9: 20-26

87) Scarano A., Lorusso F., Biancardino M., Conte R.

Impianti zigomatici con apice autofilettante e corpo liscio: valutazione del grado di soddisfazione dei pazienti.

Quintessenza Implantologia. 2019; 09:57-63.

88) Scarano A., Assenza B., Postiglione F., Aquino M.V., Tumedei M., Lorusso F. **Valutazione clinica e radiografica di impianti short vs impianti di lunghezza standard caricati in mandibola a cinque anni di follow-up.**

Quintessenza Implantologia. 2019; 01:79-86.

TOP-TEN MOST CITED PAPERS

1) Scarano, A., Piattelli, M., Caputi, S., Favero, G.A., Piattelli, A.

Bacterial adhesion on commercially pure titanium and zirconium oxide disks: An in vivo human study (2004) Journal of Periodontology, 75 (2), pp. 292-296. Cited 363 times.

2) Piattelli, M., Favero, G.A., Scarano, A., Orsini, G., Piattelli, A.

Bone Reactions to Anorganic Bovine Bone (Bio-Oss) Used in Sinus Augmentation Procedures: A Histologic Long-Term Report of 20 Cases in Humans (1999) International Journal of Oral and Maxillofacial Implants, 14 (6), pp. 835-840. Cited 331 times.

3) Paolantonio, M., Dolci, M., Scarano, A., d'Archivio, D., Di Placido, G., Tumini, V., Piattelli, A. Immediate implantation in fresh extraction sockets. A controlled clinical and histological study in man

(2001) Journal of Periodontology, 72 (11), pp. 1560-1571. Cited 258 times.

- 4) Simion, M., Jovanovic, S.A., Trisi, P., Scarano, A., Piattelli, A.
Vertical Ridge Augmentation Around Dental Implants Using a Membrane Technique and Autogenous Bone or Allografts in Humans
(1998) *International Journal of Periodontics and Restorative Dentistry*, 18 (1), pp. 9-23. Cited 206 times.
- 5) Degidi, M., Artese, L., Scarano, A., Perrotti, V., Gehrke, P., Piattelli, A.
Inflammatory infiltrate, microvessel density, nitric oxide synthase expression, vascular endothelial growth factor expression, and proliferative activity in peri-implant soft tissues around titanium and zirconium oxide healing caps
(2006) *Journal of Periodontology*, 77 (1), pp. 73-80. Cited 170 times.
- 6) Scarano, A., Di Carlo, F., Quaranta, M., Piattelli, A.
Bone response to zirconia ceramic implants: an experimental study in rabbits.
(2003) *The Journal of oral implantology*, 29 (1), pp. 8-12. Cited 166 times.
- 7) Scarano, A., Degidi, M., Iezzi, G., Pecora, G., Piattelli, M., Orsini, G., Caputi, S., Perrotti, V., Mangano, C., Piattelli, A.
Maxillary sinus augmentation with different biomaterials: A comparative histologic and histomorphometric study in man
(2006) *Implant Dentistry*, 15 (2), pp. 197-207. Cited 160 times.
- 8) Piattelli, A., Vrespa, G., Petrone, G., Iezzi, G., Annibaldi, S., Scarano, A.
Role of the microgap between implant and abutment: A retrospective histologic evaluation in monkeys
(2003) *Journal of Periodontology*, 74 (3), pp. 346-352. Cited 157 times.
- 9) Piattelli, A., Corigliano, M., Scarano, A., Costigliola, G., Paolantonio, M.
Immediate Loading of Titanium Plasma-Sprayed Implants: An Histologic Analysis in Monkeys
(1998) *Journal of Periodontology*, 69 (3), pp. 321-327. Cited 151 times.
- 10) Piattelli, A., Scarano, A., Quaranta, M.
High-precision, cost-effective cutting system for producing thin sections of oral tissues containing dental implants
(1997) *Biomaterials*, 18 (7), pp. 577-579. Cited 146 times.